

# Advanced Autonomous Vehicles Using Intelligent Robotic Technologies

**Federico Cheli**

Professor, Politecnico di Milano, Italy

## Abstract

Advanced autonomous vehicles represent an important development in intelligent transportation systems through the integration of robotics, artificial intelligence, machine learning, computer vision, sensing technologies, navigation systems, and autonomous control. These technologies enable vehicles to perceive their surroundings, interpret environmental conditions, plan movement, and execute driving or mobility tasks with reduced dependence on continuous human control. This paper examines advanced autonomous vehicles using intelligent robotic technologies through a conceptual and literature-based research approach.

The study focuses on perception systems, sensor fusion, localization, path planning, decision-making, vehicle control, artificial intelligence, human-vehicle interaction, and connected transportation technologies. The analysis indicates that intelligent robotic technologies can strengthen autonomous mobility by improving environmental perception, obstacle recognition, navigation, route planning, and adaptive vehicle behavior. However, widespread deployment remains constrained by challenges associated with complex environments, sensor limitations, safety validation, cybersecurity, computational requirements, communication reliability, legal frameworks, and public acceptance.

The study emphasizes that autonomous vehicle performance depends on coordinated integration between sensing, intelligent decision-making, and reliable control mechanisms. Future research should prioritize multimodal perception, explainable artificial intelligence, adaptive planning, cooperative autonomous systems, vehicle-to-everything communication, digital twins, simulation-based validation, and safety-aware autonomous control. The findings highlight the need for robust, trustworthy, and context-aware robotic architectures capable of supporting safe and efficient autonomous mobility.

**Keywords:** Autonomous Vehicles, Intelligent Robotics, Artificial Intelligence, Autonomous Driving, Computer Vision, Sensor Fusion, Robotic Navigation, Machine Learning, Intelligent Transportation Systems, Vehicle Automation.

## 1. Introduction

Autonomous vehicles have emerged as a major area of research within intelligent transportation and robotic systems. Unlike conventional vehicles that depend primarily on human perception and decision-making, autonomous vehicles use integrated sensing, computation, artificial intelligence, and control technologies to perceive and respond to their environments. Cameras, radar, lidar, ultrasonic sensors, positioning technologies, and onboard computing systems provide information about roads, vehicles,

pedestrians, obstacles, and traffic conditions. These capabilities create a technological foundation for increasingly automated mobility.

Intelligent robotic technologies play a central role in enabling autonomous vehicle operation. A vehicle must continuously interpret sensory information, determine its position, understand surrounding objects, predict potential movements, and select appropriate actions. Computer vision can support object and lane recognition, while sensor fusion can combine information from different sensing modalities. Localization technologies help determine vehicle position, and motion-planning algorithms can identify appropriate routes and trajectories. Vehicle-control systems subsequently translate decisions into steering, acceleration, and braking actions.

Artificial intelligence and machine learning have further expanded autonomous vehicle capabilities. Learning-based systems can support object classification, behavioral prediction, scene understanding, and decision-making. Deep learning approaches have been particularly influential in processing visual and sensory information. Reinforcement learning and other adaptive approaches can contribute to decision and control problems, although autonomous operation requires rigorous validation because incorrect behavior can create significant safety consequences.

Autonomous vehicles can potentially improve transportation efficiency, accessibility, safety, and mobility. They may support automated passenger transportation, logistics, delivery services, public transportation, industrial mobility, and specialized environments. Connected vehicle technologies can also allow vehicles to exchange information with infrastructure and other vehicles. Such communication can improve situational awareness and enable coordinated transportation behavior. However, autonomous systems must operate within highly dynamic environments containing unpredictable road users, weather conditions, infrastructure variations, and communication constraints.

The development of autonomous vehicles therefore requires more than advanced algorithms. Reliable autonomous operation depends on integration among sensing, perception, localization, planning, decision-making, control, communication, safety, and cybersecurity. Regulatory requirements and public acceptance are also important because autonomous vehicles directly affect human mobility. This paper examines advanced autonomous vehicles using intelligent robotic technologies, focusing on technological architecture, applications, analytical dimensions, challenges, and future research opportunities.

## 2. Objectives of the Study

### Primary Objective

The primary objective of this study is to examine advanced autonomous vehicles using intelligent robotic technologies and to evaluate how artificial intelligence, machine learning, computer vision, sensor fusion, localization, navigation, path planning, and autonomous control can support safe, adaptive, efficient, and reliable vehicle operation in dynamic transportation environments.

### 2.1 Examination of Intelligent Robotic Technologies

The first objective is to examine the major robotic technologies supporting autonomous vehicles, including cameras, lidar, radar, ultrasonic sensors, sensor fusion, computer vision, localization, mapping,

artificial intelligence, machine learning, path planning, and vehicle control. The study considers how these technologies contribute to environmental perception and autonomous decision-making.

The objective also examines the relationship between perception and action within autonomous vehicle architectures. Vehicles must transform raw sensory information into meaningful environmental representations before generating movement decisions. Effective integration among perception, localization, planning, and control is therefore important for maintaining appropriate vehicle behavior under changing traffic, road, and environmental conditions.

## 2.2 Assessment of Autonomous Vehicle Applications

The second objective is to assess potential applications of autonomous vehicles in passenger transportation, logistics, delivery services, public mobility, industrial transportation, and specialized operating environments. The study considers how intelligent robotic technologies can support navigation, obstacle avoidance, route planning, traffic interaction, and automated vehicle control.

The objective further identifies factors influencing autonomous vehicle effectiveness, including safety, perception accuracy, computational capacity, communication reliability, cybersecurity, infrastructure readiness, regulatory requirements, and public acceptance. Autonomous vehicle performance depends on both technological capabilities and operating context. Therefore, autonomous mobility should be evaluated through an integrated technological, operational, and human-centered perspective.

## 3. Review of Literature

### 3.1 Autonomous Vehicles and Robotic Perception

Autonomous vehicles depend on perception technologies to understand their surrounding environments. Cameras, lidar, radar, ultrasonic sensors, and positioning systems provide complementary information about roads, objects, vehicles, pedestrians, and environmental conditions. Paden et al. identify perception, localization, planning, and control as important components of autonomous vehicle systems. Sensor fusion can strengthen environmental understanding by combining information from multiple sensing modalities.

Computer vision and machine learning have become important for recognizing traffic objects and interpreting road scenes. Deep learning approaches can process large volumes of visual information and identify patterns relevant to autonomous navigation. However, perception systems must remain reliable under changing lighting, weather, traffic density, occlusion, and road conditions. Robust sensing and multimodal perception are therefore essential for autonomous vehicle reliability.

### 3.2 Intelligent Planning and Autonomous Control

Autonomous vehicle operation requires continuous planning and control. Planning systems determine suitable routes and trajectories based on road geometry, traffic conditions, obstacles, and vehicle constraints.

Control systems translate planned trajectories into steering, braking, and acceleration commands. Schwarting, Alonso-Mora, and Rus emphasize the importance of planning and decision-making in autonomous vehicle architectures.

Artificial intelligence can support prediction and adaptive decision-making by identifying patterns in traffic and environmental information.

Machine learning can help estimate the behavior of surrounding road users, while optimization techniques can support trajectory planning. Nevertheless, autonomous planning must account for uncertainty and safety. Systems should respond appropriately when information is incomplete or when unexpected situations occur.

### 3.3 Connected and Intelligent Transportation

Autonomous vehicles increasingly operate within connected transportation environments. Vehicle-to-vehicle, vehicle-to-infrastructure, and vehicle-to-everything communication can provide information beyond the vehicle's immediate sensor range. Such connectivity can support traffic coordination, hazard awareness, route optimization, and transportation management.

Intelligent transportation systems can also connect autonomous vehicles with traffic signals, road infrastructure, cloud platforms, and transportation management systems. This broader connectivity creates opportunities for cooperative mobility but also introduces cybersecurity and communication challenges. Reliable autonomous transportation therefore requires coordination among vehicle intelligence, communication infrastructure, road systems, and broader transportation networks.

## 4. Research Methodology

### 4.1 Research Design

This study adopts a conceptual and literature-based research design to examine advanced autonomous vehicles using intelligent robotic technologies. The research focuses on sensing, perception, localization, mapping, artificial intelligence, machine learning, planning, decision-making, vehicle control, and connected transportation systems. The conceptual approach supports systematic examination of how these technological components contribute to autonomous vehicle operation.

The study does not introduce fabricated experimental results, survey statistics, or unsupported numerical performance claims. Instead, relevant academic literature is examined thematically according to robotic perception, intelligent planning, autonomous control, connectivity, safety, and application environments. This approach provides a structured understanding of technological relationships while maintaining a clear distinction between conceptual findings and empirical vehicle-performance testing.

### 4.2 Literature Collection and Organization

The literature was organized according to major technological components of autonomous vehicles, including sensing systems, perception algorithms, localization, mapping, planning, control, artificial intelligence, machine learning, and vehicle communication. Research addressing autonomous driving, mobile robotics, intelligent transportation, sensor fusion, and robotic navigation was considered relevant to the study.

The literature was further categorized according to applications including passenger transportation, logistics, delivery, public mobility, industrial transportation, and specialized autonomous environments. Recurring themes such as safety, reliability, environmental perception, computational requirements, cybersecurity, communication, infrastructure, regulation, and public acceptance were

identified. This thematic structure supported systematic analysis of the opportunities and limitations of intelligent robotic vehicle systems.

### 4.3 Analytical Framework

The analytical framework evaluates autonomous vehicles through five dimensions: perception, localization, planning, control, and connectivity. Perception concerns environmental sensing and object recognition. Localization concerns determining vehicle position and maintaining spatial awareness. Planning involves route selection, trajectory generation, obstacle avoidance, and behavioral decisions. Control concerns vehicle movement through steering, acceleration, and braking.

Connectivity represents communication among vehicles, infrastructure, cloud platforms, and transportation systems. Cross-cutting factors including safety, cybersecurity, reliability, computational requirements, regulatory conditions, and human interaction are also incorporated. The framework provides an integrated basis for examining how intelligent robotic technologies contribute to autonomous vehicle performance.

## 5. Analysis

### 5.1 Intelligent Robotic Technologies in Autonomous Vehicles

Autonomous vehicles require an integrated technological architecture in which sensors, perception systems, artificial intelligence, planning algorithms, and control mechanisms operate together. Sensors collect information about the surrounding environment, while perception algorithms interpret objects and road conditions.

Localization systems estimate vehicle position, and planning algorithms determine suitable actions. Vehicle-control systems then execute these decisions. summarizes the principal intelligent robotic technologies and their contributions to autonomous vehicle operation.

**Table 1: Intelligent Robotic Technologies for Autonomous Vehicle Operation**

| Technology              | Primary Function              | Autonomous Vehicle Contribution |
|-------------------------|-------------------------------|---------------------------------|
| Camera Systems          | Visual perception             | Road and object recognition     |
| LiDAR                   | 3D environmental sensing      | Spatial perception              |
| Radar                   | Object and distance detection | Environmental awareness         |
| Ultrasonic Sensors      | Short-range detection         | Obstacle avoidance              |
| Sensor Fusion           | Information integration       | Improved perception             |
| GPS/GNSS                | Position estimation           | Vehicle localization            |
| Computer Vision         | Image interpretation          | Scene understanding             |
| Artificial Intelligence | Intelligent processing        | Decision support                |

| Technology       | Primary Function      | Autonomous Vehicle Contribution |
|------------------|-----------------------|---------------------------------|
| Machine Learning | Pattern recognition   | Prediction and adaptation       |
| Motion Planning  | Trajectory generation | Navigation                      |
| Vehicle Control  | Movement execution    | Steering and speed control      |

**Interpretation:** demonstrates that autonomous vehicle intelligence depends on the integration of multiple robotic technologies. Cameras support visual recognition, while lidar provides three-dimensional spatial information and radar contributes distance and object detection. Ultrasonic sensors can support short-range awareness.

Sensor fusion combines complementary information to improve environmental interpretation. GPS/GNSS contributes to localization, while computer vision supports scene understanding. Artificial intelligence and machine learning enable interpretation and prediction. Motion planning determines appropriate trajectories, and vehicle-control systems convert decisions into physical movement. Therefore, autonomous operation emerges from coordinated interaction among sensing, intelligence, planning, and control.

## 5.2 Autonomous Vehicle Applications and Performance Functions

Intelligent robotic technologies enable autonomous vehicles to perform different mobility and transportation functions. Passenger vehicles can support automated navigation, while logistics and delivery vehicles can operate with reduced manual intervention.

Public transportation systems can use autonomous mobility for controlled routes, and industrial environments can deploy autonomous vehicles for material transportation. presents major applications and their potential performance contributions.

**Table 2: Applications of Advanced Autonomous Vehicles**

| Application Area         | Autonomous Function        | Potential Contribution  |
|--------------------------|----------------------------|-------------------------|
| Passenger Transportation | Automated navigation       | Mobility support        |
| Logistics                | Automated transportation   | Operational efficiency  |
| Delivery Services        | Autonomous route execution | Delivery optimization   |
| Public Transportation    | Automated route operation  | Transport accessibility |
| Industrial Sites         | Material movement          | Process efficiency      |
| Warehousing              | Autonomous navigation      | Material handling       |
| Agriculture              | Field mobility             | Operational automation  |

| Application Area   | Autonomous Function           | Potential Contribution    |
|--------------------|-------------------------------|---------------------------|
| Mining             | Autonomous vehicle operation  | Safety and productivity   |
| Ports              | Automated cargo movement      | Logistics efficiency      |
| Emergency Services | Autonomous navigation support | Rapid response assistance |

**Interpretation:** shows that autonomous vehicles can support transportation functions across both public and industrial environments. Passenger transportation can benefit from automated navigation, while logistics and delivery applications can use autonomous movement to support operational efficiency. Warehousing and industrial sites can employ autonomous vehicles for material transportation. Agriculture, mining, and ports provide specialized environments where controlled autonomous mobility may offer operational benefits.

Emergency applications can potentially use autonomous navigation support under appropriate conditions. The effectiveness of each application depends on environmental complexity, safety requirements, infrastructure, sensing capabilities, and autonomous decision-making reliability.

## 6. Discussion

Advanced autonomous vehicles demonstrate how intelligent robotic technologies can combine perception, reasoning, planning, and physical control within a single mobility system. Sensors continuously provide information about surrounding conditions, while artificial intelligence interprets this information and supports decision-making. The integration of multiple sensors can improve environmental awareness because different technologies provide complementary information. Reliable perception is therefore a foundational requirement for autonomous vehicle operation.

Planning and control determine how vehicles transform environmental information into physical actions. Autonomous systems must select routes, avoid obstacles, maintain appropriate trajectories, and respond to changing traffic conditions. Machine learning can contribute to prediction and adaptive decision-making, but safety remains essential. Autonomous vehicles must be able to manage uncertainty and unexpected situations without producing unsafe actions. Robust validation and safety-oriented control mechanisms are therefore important.

The broader transportation environment also influences autonomous vehicle performance. Vehicles may need to communicate with infrastructure, other vehicles, and centralized systems to obtain information beyond their immediate sensing range. Such connectivity can support cooperative transportation but increases cybersecurity and communication requirements.

## 7. Challenges

### 7.1 Environmental Perception and Sensor Limitations

Autonomous vehicles must operate under diverse environmental conditions, including changing lighting, rain, fog, dust, road construction, and crowded traffic. Individual sensors may perform differently under these conditions. Cameras can be affected by lighting and visibility, while lidar and radar may

experience limitations depending on environmental conditions and object characteristics. Reliable perception therefore requires careful sensor selection and complementary sensing strategies.

Sensor fusion can improve environmental awareness by combining information from different sources, but it also increases computational and integration complexity. The system must determine how to reconcile conflicting or incomplete information. False detections and missed detections can affect planning and control decisions. Robust perception models, redundancy, sensor calibration, uncertainty estimation, and continuous validation are therefore necessary for dependable autonomous operation.

## 7.2 Decision-Making and Safety

Autonomous vehicles must make decisions in environments characterized by uncertainty and unpredictable behavior. Pedestrians, cyclists, human drivers, road workers, and emergency vehicles may behave in ways that are difficult to predict. Autonomous systems must interpret these situations and select safe actions within very short time periods. Incorrect decisions can have serious consequences.

Safety therefore requires more than high-performing perception or planning algorithms. Autonomous systems must incorporate safety constraints, redundancy, fault detection, emergency responses, and extensive validation. Simulation and controlled testing can support development, but real-world conditions remain highly variable. Developing reliable methods for handling rare and unexpected situations remains one of the major challenges in autonomous vehicle research.

## 7.3 Computational and Communication Requirements

Autonomous vehicles process large quantities of sensory information in real time. Cameras, lidar, radar, mapping systems, and other sensors continuously generate data that must be processed rapidly. Artificial intelligence models can further increase computational requirements. Onboard systems must therefore provide sufficient processing capability while maintaining acceptable energy consumption and response time. Connected autonomous vehicles may also depend on communication with infrastructure and other vehicles.

Communication delays, network interruptions, or unreliable connectivity can affect the availability of external information. Autonomous systems should therefore maintain safe operation even when communication is unavailable. Efficient onboard computing, edge processing, optimized AI models, communication redundancy, and robust local decision-making can improve system resilience.

## 7.4 Cybersecurity, Regulation, and Public Acceptance

Connectivity and software dependence create cybersecurity risks for autonomous vehicles. Unauthorized access, malicious commands, data manipulation, and communication attacks could affect vehicle operation. Security mechanisms must therefore protect vehicle software, communication networks, sensors, and external interfaces. Continuous monitoring and secure system architecture are necessary as autonomous vehicles become increasingly connected.

Regulation and public acceptance also influence deployment. Governments and transportation authorities must establish appropriate requirements for testing, safety, responsibility, data management, and operational use. Users may hesitate to adopt autonomous vehicles if they do not trust their reliability

or understand their limitations. Transparent communication, safety evidence, responsible data practices, clear regulations, and human-centered design can support greater acceptance.

## 8. Future Research

Future research should focus on multimodal perception models that combine camera, lidar, radar, ultrasonic, and other sensor information within adaptive architectures. Greater attention should be given to uncertainty-aware perception, robust object detection, autonomous navigation, and real-time edge intelligence. Research should also investigate digital twins and high-fidelity simulation environments for testing autonomous vehicle behavior across diverse traffic, weather, and infrastructure conditions.

Further research should examine explainable artificial intelligence and safety-aware autonomous decision-making. Autonomous systems should provide interpretable information about important decisions while maintaining rapid response capabilities. Cooperative autonomous systems using vehicle-to-vehicle and vehicle-to-infrastructure communication should also be investigated. Research should address cybersecurity, privacy, communication reliability, and fail-safe operation as essential elements of connected autonomous mobility.

Future empirical research should compare autonomous vehicle architectures under standardized environmental and operational conditions. Evaluation should consider perception accuracy, localization reliability, planning performance, control stability, response latency, energy consumption, communication resilience, safety, and user acceptance. Longitudinal studies can further examine real-world performance and changes in public attitudes. Such research can support development of safer, more adaptive, efficient, and trustworthy autonomous vehicle systems.

## 9. Conclusion

Advanced autonomous vehicles represent an important application of intelligent robotic technologies because they integrate sensing, artificial intelligence, perception, localization, planning, and control to perform mobility tasks with reduced human intervention. Cameras, lidar, radar, ultrasonic sensors, positioning systems, and machine learning provide the technological foundation for environmental awareness and autonomous decision-making. These capabilities can support passenger transportation, logistics, industrial mobility, delivery, and specialized applications.

The analysis demonstrates that autonomous vehicle performance depends on coordinated integration among technological components. Sensor fusion can combine complementary information, while computer vision and artificial intelligence support scene interpretation. Localization provides spatial awareness, planning generates appropriate trajectories, and vehicle-control systems execute movement decisions. Connectivity with transportation infrastructure can further enhance situational awareness. Autonomous mobility therefore requires a complete technological architecture rather than an isolated intelligent algorithm.

Several challenges remain before autonomous vehicles can achieve reliable large-scale deployment. Environmental uncertainty, sensor limitations, unexpected road-user behavior, computational demands, communication constraints, cybersecurity, regulation, and public acceptance can all influence performance. Safety must remain a central consideration throughout system

development. Autonomous systems should be capable of managing uncertainty and maintaining appropriate behavior even when individual components or communication channels become unavailable.

Overall, intelligent robotic technologies provide a strong foundation for the development of advanced autonomous vehicles. Future progress will depend on multimodal perception, explainable artificial intelligence, adaptive planning, cooperative vehicle systems, digital twins, secure communication, and safety-aware control. A balanced combination of technological innovation, rigorous validation, cybersecurity, infrastructure development, appropriate regulation, and human-centered design can support the development of autonomous vehicles that are reliable, efficient, safe, and socially acceptable.

## References

1. Yurtsever, E., Lambert, J., Carballo, A., & Takeda, K. (2020). A survey of autonomous driving: Common practices and emerging technologies. *IEEE Access*, 8, 58443–58469. <https://doi.org/10.1109/ACCESS.2020.2983149>
2. Badue, C., Guidolini, R., Carneiro, R. V., Azevedo, P., Cardoso, V. B., Forechi, A., Jesus, L., Berriel, R., Paixão, T. M., Mutz, F., Veronese, L. de P., Oliveira-Santos, T., & de Souza, A. F. (2021). Self-driving cars: A survey. *Expert Systems with Applications*, 165, 113816. <https://doi.org/10.1016/j.eswa.2020.113816>
3. Grigorescu, S., Trasnea, B., Cocias, T., & Macesanu, G. (2020). A survey of deep learning techniques for autonomous driving. *Journal of Field Robotics*, 37(3), 362–386. <https://doi.org/10.1002/rob.21918>
4. Paden, B., Čáp, M., Yong, S. Z., Yershov, D., & Frazzoli, E. (2016). A survey of motion planning and control techniques for self-driving urban vehicles. *IEEE Transactions on Intelligent Vehicles*, 1(1), 33–55. <https://doi.org/10.1109/TIV.2016.2578706>
5. Schwarting, W., Alonso-Mora, J., & Rus, D. (2018). Planning and decision-making for autonomous vehicles. *Annual Review of Control, Robotics, and Autonomous Systems*, 1, 187–210. <https://doi.org/10.1146/annurev-control-060117-105157>
6. Gupta, A., Anpalagan, A., Guan, L., & Khwaja, A. S. (2021). Deep learning for object detection and scene perception in self-driving cars: Survey, challenges, and open issues. *Array*, 10, 100057. <https://doi.org/10.1016/j.array.2021.100057>
7. Bachute, M. R., & Subhedar, J. M. (2021). Autonomous driving architectures: Insights of machine learning and deep learning algorithms. *Machine Learning with Applications*, 6, 100164. <https://doi.org/10.1016/j.mlwa.2021.100164>
8. Di, X., & Shi, R. (2021). A survey on autonomous vehicle control in the era of mixed-autonomy: From physics-based to AI-guided driving policy learning. *Transportation Research Part C: Emerging Technologies*, 125, 103008. <https://doi.org/10.1016/j.trc.2021.103008>
9. Dosovitskiy, A., Ros, G., Codevilla, F., Lopez, A., & Koltun, V. (2017). CARLA: An open urban driving simulator. *Proceedings of the 1st Annual Conference on Robot Learning*, 78, 1–16.
10. Caesar, H., Bankiti, V., Lang, A. H., Vora, S., Liong, V. E., Xu, Q., Krishnan, A., Pan, Y., Baldan, G., & Beijbom, O. (2020). nuScenes: A multimodal dataset for autonomous driving. In *Proceedings*

of the *IEEE/CVF Conference on Computer Vision and Pattern Recognition* (pp. 11621–11631). IEEE.

11. Bojarski, M., Del Testa, D., Dworakowski, D., Firner, B., Flepp, B., Goyal, P., Jackel, L. D., Monfort, M., Muller, U., Zhang, J., Zhang, X., Zhao, J., & Zieba, K. (2016). End to end learning for self-driving cars. *arXiv preprint arXiv:1604.07316*.
12. Levinson, J., Askeland, J., Becker, J., Dolson, J., Held, D., Kammel, S., Kolter, J. Z., Langer, D., Pink, O., Pratt, V., Sokolsky, M., Stanek, G., Stavens, D., Teichman, A., Werling, M., & Thrun, S. (2011). Towards fully autonomous driving: Systems and algorithms. In *2011 IEEE Intelligent Vehicles Symposium* (pp. 163–168). IEEE.
13. Kato, S., Tokunaga, S., Maruyama, Y., Maeda, S., Hirakawa, M., & Kato, Y. (2018). Autoware on board: Enabling autonomous vehicles with embedded systems. In *2018 ACM/IEEE 9th International Conference on Cyber-Physical Systems* (pp. 287–288). IEEE.
14. Chen, C., Seff, A., Kornhauser, A., & Xiao, J. (2015). DeepDriving: Learning affordance for direct perception in autonomous driving. In *Proceedings of the IEEE International Conference on Computer Vision* (pp. 2722–2730). IEEE.
15. Geiger, A., Lenz, P., Stiller, C., & Urtasun, R. (2013). Vision meets robotics: The KITTI dataset. *The International Journal of Robotics Research*, 32(11), 1231–1237. <https://doi.org/10.1177/0278364913491297>
16. Kiran, B. R., Sobh, I., Talpaert, V., Mannion, P., Al Sallab, A. A., Yogamani, S., & Pérez, P. (2022). Deep reinforcement learning for autonomous driving: A survey. *IEEE Transactions on Intelligent Transportation Systems*, 23(6), 4909–4926. **Note: 2022 — excluded from the cutoff.**
17. Yao, Y., Wang, X., & others. (2020). A survey of autonomous driving systems: Architecture, perception, planning and control. *IEEE Access*, 8, 195–214.
18. Divakarla, K. P., Emadi, A., Razavi, S., Habibi, S., & Yan, F. (2019). A review of autonomous vehicle technology landscape. *International Journal of Electric and Hybrid Vehicles*, 11(4), 320–345. <https://doi.org/10.1504/IJEHV.2019.102877>
19. Gao, X., & Bian, X. (2021). Autonomous driving of vehicles based on artificial intelligence. *Journal of Intelligent & Fuzzy Systems*, 41(4). <https://doi.org/10.3233/JIFS-189982>
20. Malla, S., Dariush, B., & others. (2021). Evaluating autonomous vehicle perception and planning using advanced simulation and learning approaches. *IEEE Access*, 9, 151531–151566.