

Advanced Robotic Learning Models Using Artificial Intelligence

Dr. Alexander Co Abad

Professor, De La Salle University, Philippines

Abstract

Artificial intelligence has significantly transformed robotic learning by enabling robots to acquire knowledge, recognize patterns, adapt to changing environments, and improve task performance through data-driven mechanisms. Advanced robotic learning models integrate machine learning, deep learning, reinforcement learning, imitation learning, representation learning, computer vision, sensor fusion, and intelligent decision-making to develop more autonomous robotic systems.

This study examines advanced robotic learning models using artificial intelligence, with particular emphasis on learning architectures, perception, adaptive behavior, reinforcement-based decision-making, and applications in intelligent robotics. A qualitative descriptive and conceptual research design was adopted using secondary academic literature. The analysis demonstrates that AI-based learning models can improve robotic perception, manipulation, navigation, planning, prediction, and task adaptation.

Deep learning enables robots to extract complex patterns from sensory information, while reinforcement learning supports sequential decision-making through interaction with environments. Imitation learning can allow robots to acquire behaviors from demonstrations, reducing the need for manually programmed control strategies. However, practical implementation remains affected by data requirements, computational complexity, transfer limitations, safety concerns, model interpretability, sensor uncertainty, and real-world learning costs.

The study concludes that advanced robotic learning requires integration between artificial intelligence, perception, control, planning, and continuous feedback. Future research should focus on efficient learning architectures, safe reinforcement learning, multimodal perception, simulation-to-real transfer, continual learning, explainable AI, foundation models, and adaptive robotic systems capable of generalizing learned knowledge across tasks and environments.

Keywords: Robotic Learning, Artificial Intelligence, Machine Learning, Deep Learning, Reinforcement Learning, Imitation Learning, Autonomous Robotics, Robot Perception, Intelligent Systems, Adaptive Robotics.

1. Introduction

Artificial intelligence has become an important technological foundation for the development of advanced robotic systems. Conventional robots generally execute predefined programs and perform repetitive activities within structured environments. Although such systems remain effective for

predictable industrial operations, their capabilities can be limited when robots encounter unfamiliar objects, changing environments, uncertain conditions, or new tasks. Artificial intelligence introduces learning mechanisms that allow robots to process information, identify patterns, improve decisions, and adapt their behavior according to experience and environmental feedback.

Robotic learning refers to computational approaches through which robots acquire representations, skills, policies, or control strategies from data, demonstrations, simulations, or interaction. Machine learning and deep learning can enable robots to interpret complex sensory information, while reinforcement learning can support sequential decision-making. Sutton and Barto (2018) established reinforcement learning as a framework for learning actions through environmental interaction and reward-based feedback. These learning mechanisms provide opportunities for developing robots that can improve performance beyond manually programmed behaviors.

Deep learning has significantly expanded the capabilities of robotic perception and learning. Neural networks can process images, depth information, tactile observations, and other sensory inputs to identify objects, estimate states, classify environments, and predict outcomes. LeCun et al. (2015) described deep learning as an important approach for automatically learning representations from large datasets. In robotics, these capabilities can connect perception with planning and action, enabling robots to operate in environments where manually engineered visual or control rules may be insufficient.

Reinforcement learning represents another important approach because many robotic activities require continuous decision-making. A robot may need to determine how to move, grasp an object, navigate around obstacles, or respond to changing conditions. Reinforcement learning allows an agent to learn policies by receiving feedback from interactions with its environment. Kober et al. (2013) highlighted the relevance of reinforcement learning for robotic skill acquisition, while later deep reinforcement-learning research demonstrated the ability of neural models to learn complex behaviors.

Imitation learning provides an alternative approach in which robots learn behaviors from demonstrations rather than relying entirely on trial-and-error exploration. Human demonstrations can provide information about desired movements, task sequences, and interaction strategies. This approach can reduce the number of physical interactions required for learning and can be useful when unrestricted exploration is unsafe or inefficient. Combining imitation learning with reinforcement learning can provide a pathway in which demonstrations establish initial behaviors and subsequent interaction improves performance.

Advanced robotic learning also depends on multimodal perception. Robots may combine cameras, depth sensors, tactile sensors, inertial measurement units, force sensors, and other information sources. Multimodal learning can provide richer representations of objects and environments than a single sensing modality. For example, visual information can identify an object while tactile information can help estimate contact and grip conditions. Integrating these information sources can improve robotic manipulation and adaptive decision-making.

Simulation has become an important mechanism for robotic learning because real-world training can be expensive, slow, and potentially unsafe. Virtual environments allow robots to perform large numbers of learning episodes without damaging physical equipment. However, differences between simulated and physical environments can reduce performance after deployment. This issue, commonly

associated with the simulation-to-real transfer problem, has encouraged research into domain randomization, transfer learning, system identification, and hybrid simulation-real training approaches.

The development of increasingly capable AI models has also created opportunities for more general robotic learning. Foundation models, vision-language models, multimodal models, and large-scale pretrained systems can provide robots with broader representations of objects, environments, language, and tasks. These technologies may support more flexible human-robot interaction and task generalization. However, their computational requirements, reliability, interpretability, and physical grounding remain important considerations for robotic deployment.

Despite significant progress, AI-based robotic learning continues to face challenges. Large datasets can be difficult to collect, and learned models may fail when exposed to conditions that differ from their training environments. Real-time learning requires substantial computational resources, while safety becomes critical when robots interact with people or valuable equipment. Model decisions can also be difficult to interpret, particularly when complex neural architectures are used. These issues demonstrate the need for learning systems that combine intelligence with reliability, safety, efficiency, and adaptability.

This study examines advanced robotic learning models using artificial intelligence by analyzing machine learning, deep learning, reinforcement learning, imitation learning, perception, adaptive behavior, and intelligent decision-making. It further examines their applications, implementation challenges, and future research opportunities.

2. Objectives of the Study

The primary objective of this study is to examine advanced robotic learning models using artificial intelligence by analyzing machine learning, deep learning, reinforcement learning, imitation learning, multimodal perception, and adaptive decision-making.

The study seeks to understand how AI-based learning mechanisms can improve robotic autonomy, task performance, perception, adaptability, planning, manipulation, navigation, and intelligent behavior across dynamic application environments.

2.1 Examination of AI-Based Robotic Learning Models

The first objective is to examine major artificial intelligence approaches supporting robotic learning, including supervised learning, deep learning, reinforcement learning, imitation learning, transfer learning, and multimodal learning.

The study evaluates how these approaches enable robots to acquire representations, recognize environmental patterns, develop task policies, and improve performance through data or interaction. Attention is given to learning architectures supporting perception, planning, control, and adaptive behavior.

2.2 Assessment of Robotic Learning Applications

The second objective is to assess applications of AI-based robotic learning in manufacturing, autonomous navigation, manipulation, logistics, healthcare, agriculture, service robotics, and collaborative robotics. The study examines how learning models can support object recognition,

trajectory generation, grasping, navigation, task planning, inspection, and human-robot interaction. The objective also considers their contribution to robotic autonomy, flexibility, accuracy, productivity, and operational adaptability.

2.3 Identification of Learning and Deployment Challenges

The third objective is to identify challenges associated with AI-based robotic learning, including data requirements, computational complexity, simulation-to-real transfer, generalization, safety, interpretability, sensor uncertainty, and real-world training costs.

The study examines how these limitations affect robotic performance and deployment. Identifying these challenges can support the development of efficient, reliable, safe, transferable, and scalable robotic learning architectures.

3. Review of Literature

3.1 Artificial Intelligence and Robotic Learning

Artificial intelligence has enabled robots to move beyond predefined programming toward data-driven learning and adaptive behavior. Goodfellow et al. (2016) explained that deep learning enables computational systems to learn hierarchical representations from data. In robotics, such representations can support perception, object recognition, state estimation, and decision-making. AI-based learning therefore provides robots with mechanisms for extracting information from complex sensory inputs and using learned knowledge to perform increasingly sophisticated automated tasks.

Kober et al. (2013) reviewed reinforcement learning in robotics and identified its potential for learning motor skills and control policies. Reinforcement learning allows robots to improve behavior according to feedback received from their environment. This is particularly relevant for tasks involving sequential decisions, such as manipulation and navigation. However, the approach can require extensive interaction and careful reward design. Consequently, practical robotic learning increasingly considers combinations of reinforcement learning, demonstrations, simulation, and model-based methods.

3.2 Deep Learning and Perception

Deep neural networks have become central to modern robotic perception because they can process complex visual and sensory information. LeCun et al. (2015) described deep learning as a powerful method for representation learning, while He et al. (2016) demonstrated the effectiveness of deep residual networks for visual recognition. Robotic systems can use similar architectures for object detection, classification, segmentation, pose estimation, and scene understanding. Improved perception provides a stronger foundation for subsequent robotic planning and action.

Vision-based robotic learning can connect sensory observations with task-specific behaviors. Levine et al. (2016) demonstrated end-to-end learning approaches for visuomotor policies, illustrating the potential for learning relationships between visual inputs and robotic actions. Such methods can reduce the need for manually designed intermediate representations. Nevertheless, their performance depends on sufficient training data and appropriate environmental diversity. Robust deployment requires models capable of handling variations in objects, lighting, workspace conditions, and task configurations.

3.3 Reinforcement and Imitation Learning

Reinforcement learning provides a framework for learning robotic policies through environmental interaction. Lillicrap et al. (2016) demonstrated continuous control using deep reinforcement learning, contributing to interest in learning-based control for robotic systems. Reinforcement learning can support complex continuous actions and adaptive behavior. However, exploration in physical environments can be expensive and potentially unsafe. These limitations have encouraged the use of simulation, offline data, demonstrations, and safety constraints to improve practical learning.

Imitation learning enables robots to learn from human demonstrations or previously collected trajectories. Demonstrations can provide useful task knowledge without requiring extensive random exploration. Ross et al. (2011) introduced DAgger, an approach that addresses distribution-shift problems in imitation learning by incorporating additional expert information. In robotics, imitation learning can provide initial task policies that can subsequently be refined through reinforcement or other learning mechanisms. This combination can improve learning efficiency while reducing risky physical exploration.

4. Research Methodology

4.1 Research Design

This study adopted a qualitative descriptive and conceptual research design to examine advanced robotic learning models using artificial intelligence. The research relied on secondary academic literature addressing machine learning, deep learning, reinforcement learning, imitation learning, robot perception, autonomous systems, intelligent control, and robotic applications. The design was selected to synthesize existing knowledge and identify technological relationships relevant to AI-driven robotic learning.

The conceptual framework considered sensory input, representation learning, decision-making, policy generation, robotic action, and environmental feedback as interconnected components. These components were evaluated according to adaptability, learning efficiency, accuracy, computational requirements, generalization, autonomy, and safety. The framework provided a structured basis for examining how artificial intelligence transforms robotic learning and supports intelligent task execution.

4.2 Data Collection

Secondary information was collected from peer-reviewed journal articles, academic conference proceedings, scholarly books, and established research publications addressing artificial intelligence and robotics. Literature concerning deep learning, reinforcement learning, imitation learning, machine learning, robot perception, autonomous navigation, manipulation, and human-robot interaction was reviewed. Sources were selected according to their relevance to the study objectives and technological focus.

The literature was organized into learning-method categories and robotic application areas. Learning methods included supervised learning, deep learning, reinforcement learning, imitation learning, transfer learning, and multimodal learning. Application areas included manufacturing, manipulation, navigation, logistics, healthcare, agriculture, collaborative robotics, and service robotics. Studies addressing simulation, safety, generalization, computational requirements, and deployment limitations were also considered.

4.3 Data Analysis

The collected literature was analyzed using thematic analysis. Major themes included AI-based perception, representation learning, reinforcement learning, imitation learning, adaptive behavior, task planning, multimodal sensing, simulation, generalization, safety, and computational efficiency. Each theme was examined according to its contribution to robotic learning and intelligent task execution.

A comparative synthesis was conducted to identify relationships among learning methods, sensory information, decision-making, and robotic actions. Perception provides observations, learning models generate representations or policies, planning mechanisms determine appropriate actions, and robotic controllers execute those actions. Environmental feedback subsequently provides information for further learning. This process was used to evaluate the role of AI in developing adaptive robotic systems.

5. Analysis

5.1 Advanced AI Learning Models for Robotics

Table 1: Advanced Robotic Learning Models

Learning Model	Primary Function	Robotic Contribution
Supervised Learning	Pattern prediction	Recognition
Deep Learning	Representation learning	Complex perception
Reinforcement Learning	Policy optimization	Adaptive behavior
Imitation Learning	Learning demonstrations	Skill acquisition
Transfer Learning	Knowledge adaptation	Faster deployment
Multimodal Learning	Sensor integration	Rich perception
Continual Learning	Knowledge updating	Long-term adaptation
Self-Supervised Learning	Learning from unlabeled data	Reduced labeling requirements

The analysis indicates that no single learning model addresses all robotic requirements. Deep learning provides powerful perception capabilities, reinforcement learning supports sequential decision-making, and imitation learning enables efficient skill acquisition from demonstrations.

Transfer learning can reduce retraining requirements, while multimodal learning integrates different sensory sources. Continual and self-supervised learning provide mechanisms for long-term adaptation and reduced dependence on manually labeled datasets.

5.2 Applications of AI-Based Robotic Learning

Table 2: Robotic Applications of Artificial Intelligence-Based Learning

Application	Learning Function	Potential Benefit
Industrial Manipulation	Grasp learning	Adaptive handling
Autonomous Navigation	Policy learning	Flexible movement
Robotic Assembly	Skill learning	Improved precision
Warehouse Robotics	Object and route learning	Efficiency
Healthcare Robotics	Motion adaptation	Controlled operation
Agricultural Robotics	Environmental recognition	Adaptive tasks
Collaborative Robotics	Behavior prediction	Human cooperation
Service Robotics	Task learning	Flexible interaction

The analysis demonstrates that AI-based learning can expand robotic capabilities across structured and dynamic application environments. Robots can learn grasping strategies, navigation policies, assembly skills, object recognition, and interaction behaviors. Learning-based approaches can reduce dependence on manually programmed task rules and improve adaptation.

However, successful deployment depends on training data, environmental diversity, computational efficiency, safety mechanisms, and the ability of models to generalize learned behavior.

6. Discussion

Advanced robotic learning models demonstrate the potential of artificial intelligence to transform robots from predefined task executors into adaptive systems capable of acquiring and improving skills. Deep learning strengthens perception, while reinforcement learning supports decision-making and policy optimization. Imitation learning provides an efficient mechanism for acquiring behaviors from demonstrations. Together, these approaches can improve robotic flexibility, particularly in environments where task conditions cannot be completely specified in advance.

The integration of multimodal sensing and learning is particularly important for advanced robotic applications. Visual information can provide object and environmental information, while tactile, force, and inertial sensing can provide complementary physical information. Combining these modalities can improve state estimation and task understanding. However, learning systems must remain computationally efficient and robust to incomplete or noisy observations. Effective architectures should therefore balance information richness with real-time processing requirements.

The future of robotic learning is likely to involve hybrid systems combining pretrained AI models, reinforcement learning, imitation learning, simulation, and conventional control. Such architectures can use pretrained knowledge for perception and reasoning while specialized learning

mechanisms adapt behavior to physical tasks. Safety constraints and supervisory controllers remain essential because learning systems may generate unpredictable actions. Research should therefore emphasize generalization, explainability, safe learning, continual adaptation, and reliable transfer from simulated environments to real robotic platforms.

7. Challenges

7.1 Data Requirements and Learning Efficiency

Advanced AI models frequently require substantial quantities of training data to learn accurate representations and robotic behaviors. Collecting robotic data is more difficult than collecting conventional image or text datasets because physical robots require equipment, operating time, controlled environments, and human supervision. Demonstration data can also be expensive to obtain and may not cover all possible task conditions. Limited data can reduce generalization when robots encounter unfamiliar objects, environments, or situations.

Learning efficiency therefore remains an important challenge for practical robotic systems. Reinforcement learning may require numerous interactions before useful behavior emerges, while deep-learning models can require extensive labeled or curated datasets. Simulation and synthetic data can reduce some collection requirements, but differences between virtual and physical environments may affect performance. Research should therefore investigate self-supervised learning, transfer learning, demonstration-based learning, and data-efficient approaches that reduce training requirements.

7.2 Generalization and Transfer Limitations

AI-based robotic models may perform effectively under training conditions but experience reduced performance when deployed in different environments. Variations in lighting, object appearance, workspace configuration, sensor characteristics, and task requirements can create distribution shifts. A model trained on a limited set of conditions may therefore fail to recognize or manipulate unfamiliar objects. Generalization is particularly important for robots expected to perform multiple tasks across changing environments.

Simulation-to-real transfer introduces another major limitation. Simulation allows large-scale training without physical wear or safety risks, but virtual environments cannot perfectly reproduce real-world physics, sensing imperfections, material properties, and environmental variation. Domain randomization and transfer-learning techniques can reduce this gap, but reliable transfer remains challenging. Developing learning models that can adapt quickly to new environments without complete retraining is therefore an important research priority.

7.3 Computational and Real-Time Constraints

Advanced robotic learning models can involve large neural networks and complex computational processes. Real-time robotic applications require rapid processing because delays between sensing, decision-making, and action can affect task performance. High computational requirements may increase hardware costs and energy consumption. Robots operating with limited onboard computing resources may therefore be unable to run large models efficiently. Model compression, hardware acceleration, and lightweight architectures can help address these limitations.

Real-time requirements become more demanding when robots process multiple sensory streams simultaneously. Cameras, depth sensors, tactile sensors, and inertial systems can generate substantial amounts of information.

AI models must process these data while maintaining timely control decisions. Edge computing can reduce communication delays by moving computation closer to the robot. However, edge hardware may still have limited processing capacity. Balancing model complexity, accuracy, latency, and energy consumption remains essential.

7.4 Safety, Explainability, and Reliability

Safety is a critical concern when AI-based learning models control physical robots. Learning algorithms can produce unexpected actions when encountering unfamiliar conditions or incomplete observations. In reinforcement learning, exploration may result in unsafe behavior if appropriate constraints are not imposed. Robots operating near humans require particularly strong safety mechanisms. Supervisory controllers, safety constraints, emergency mechanisms, and verified control layers can help prevent undesirable actions.

Explainability is also important because complex AI models may provide decisions without transparent reasoning. Engineers and operators may need to understand why a robot selected a particular action, especially in safety-sensitive environments. Black-box behavior can make troubleshooting and validation more difficult. Explainable AI, interpretable policies, confidence estimation, and human oversight can improve trust. Reliable deployment therefore requires not only high learning performance but also predictable, understandable, and verifiable behavior.

8. Future Research

Future research should focus on data-efficient robotic learning, multimodal foundation models, safe reinforcement learning, self-supervised learning, and continual adaptation. Research should investigate methods that allow robots to learn from limited demonstrations and unlabeled sensory information. More efficient neural architectures should support real-time deployment on edge devices. Greater attention should also be given to transfer learning and simulation-to-real methods for reducing the cost of physical training.

Further research should develop general-purpose robotic learning systems capable of transferring knowledge across tasks, environments, and robotic platforms. Foundation models could support broader perception and reasoning, while specialized controllers could convert learned representations into safe physical actions. Research should also investigate explainability, uncertainty estimation, human oversight, and robust evaluation. Long-term experiments should measure generalization, safety, learning efficiency, energy consumption, latency, and operational reliability.

9. Conclusion

Artificial intelligence has created significant opportunities for developing robotic systems capable of learning from data, demonstrations, simulations, and environmental interaction. Machine learning and deep learning provide mechanisms for extracting representations from complex sensory information,

while reinforcement learning enables robots to develop policies through feedback. These capabilities can increase robotic autonomy and reduce dependence on manually programmed behaviors.

Advanced robotic learning models can support perception, manipulation, navigation, assembly, inspection, logistics, healthcare, agriculture, and collaborative applications. Imitation learning can accelerate skill acquisition through demonstrations, while transfer learning can reduce training requirements when adapting knowledge to new tasks. Multimodal learning can further improve robotic understanding by integrating visual, tactile, force, and inertial information.

Despite these benefits, AI-based robotic learning remains constrained by data requirements, computational complexity, generalization limitations, and simulation-to-real transfer problems. Training sophisticated models can require substantial resources, while physical experimentation can be costly and potentially unsafe. Robots must also operate reliably when exposed to environmental conditions that differ from those represented in their training data.

Safety and reliability are essential for practical deployment. Learning-based systems should operate within appropriate control and safety boundaries, particularly when robots interact with humans. Explainability, uncertainty estimation, confidence assessment, and supervisory mechanisms can improve trust and operational reliability. AI should therefore be integrated with established robotic control and safety architectures rather than treated as an independent replacement.

Overall, advanced robotic learning using artificial intelligence represents a major pathway toward adaptive and autonomous robotics. Future systems should integrate foundation models, multimodal perception, reinforcement learning, imitation learning, continual learning, edge intelligence, and safe control. Such integration can enable robots to learn more efficiently, generalize across environments, and perform increasingly complex tasks while maintaining accuracy, adaptability, safety, and operational reliability.

References

1. Argall, B. D., Chernova, S., Veloso, M., & Browning, B. (2009). A survey of robot learning from demonstration. *Robotics and Autonomous Systems*, 57(5), 469–483. <https://doi.org/10.1016/j.robot.2008.10.024>
2. Billard, A., Calinon, S., Dillmann, R., & Schaal, S. (2008). Robot programming by demonstration. In B. Siciliano & O. Khatib (Eds.), *Springer handbook of robotics* (pp. 1371–1394). Springer.
3. Bohg, J., Morales, A., Asfour, T., & Kragic, D. (2014). Data-driven grasp synthesis—A survey. *IEEE Transactions on Robotics*, 30(2), 289–309. <https://doi.org/10.1109/TRO.2013.2289019>
4. Doya, K. (2000). Reinforcement learning in continuous time and space. *Neural Computation*, 12(1), 219–245. <https://doi.org/10.1162/089976600300015961>
5. Gu, S., Lillicrap, T., Sutskever, I., & Levine, S. (2016). Continuous deep Q-learning with model-based acceleration. *Proceedings of the 33rd International Conference on Machine Learning*, 48, 2829–2838.
6. Kalashnikov, D., Irpan, A., Pastor, P., Ibarz, J., Herzog, A., Jang, E., Quillen, D., Holly, E., Kalakrishnan, M., Vanhoucke, V., & Levine, S. (2018). QT-Opt: Scalable deep reinforcement learning for vision-based robotic manipulation. *arXiv*. <https://arxiv.org/abs/1806.10293>

7. Kober, J., Bagnell, J. A., & Peters, J. (2013). Reinforcement learning in robotics: A survey. *The International Journal of Robotics Research*, 32(11), 1238–1274. <https://doi.org/10.1177/0278364913495721>
8. Levine, S., Pastor, P., Krizhevsky, A., & Quillen, D. (2016). Learning hand-eye coordination for robotic grasping with deep learning and large-scale data collection. *arXiv*. <https://arxiv.org/abs/1603.02199>
9. Lillicrap, T. P., Hunt, J. J., Pritzel, A., Heess, N., Erez, T., Tassa, Y., Silver, D., & Wierstra, D. (2016). Continuous control with deep reinforcement learning. *International Conference on Learning Representations*.
10. Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A. A., Veness, J., Bellemare, M. G., Graves, A., Riedmiller, M., Fidjeland, A. K., Ostrovski, G., Petersen, S., Beattie, C., Sadik, A., Antonoglou, I., King, H., Kumaran, D., Wierstra, D., Legg, S., & Hassabis, D. (2015). Human-level control through deep reinforcement learning. *Nature*, 518, 529–533. <https://doi.org/10.1038/nature14236>
11. Nguyen-Tuong, D., & Peters, J. (2011). Model learning for robot control: A survey. *Cognitive Processing*, 12, 319–340. <https://doi.org/10.1007/s10339-011-0404-1>
12. Peters, J., & Schaal, S. (2008). Reinforcement learning of motor skills with policy gradients. *Neural Networks*, 21(4), 682–697. <https://doi.org/10.1016/j.neunet.2008.02.003>
13. Peters, J., Mulling, K., & Altun, Y. (2010). Relative entropy policy search. In *Proceedings of the 24th AAAI Conference on Artificial Intelligence* (pp. 1607–1612). AAAI Press.
14. Ravichandar, H., Polydoros, A. S., Chernova, S., & Billard, A. (2020). Recent advances in robot learning from demonstration. *Annual Review of Control, Robotics, and Autonomous Systems*, 3, 297–330. <https://doi.org/10.1146/annurev-control-100819-063206>
15. Schaal, S. (1999). Is imitation learning the route to humanoid robots? *Trends in Cognitive Sciences*, 3(6), 233–242. [https://doi.org/10.1016/S1364-6613\(99\)01327-3](https://doi.org/10.1016/S1364-6613(99)01327-3)
16. Sünderhauf, N., Brock, O., Scheirer, W., Hadsell, R., Fox, D., Leitner, J., Upcroft, B., Abbeel, P., Burgard, W., Milford, M., & Corke, P. (2018). The limits and potentials of deep learning for robotics. *The International Journal of Robotics Research*, 37(4–5), 405–420. <https://doi.org/10.1177/0278364918770739>
17. Zhang, T., & Mo, H. (2021). Reinforcement learning for robot research: A comprehensive review and open issues. *International Journal of Advanced Robotic Systems*, 18(3). <https://doi.org/10.1177/17298814211007305>
18. Zhao, W., Queralta, J. P., & Westerlund, T. (2021). Sim-to-real transfer in deep reinforcement learning for robotics: A survey. In *2020 IEEE Symposium Series on Computational Intelligence (SSCI)*. IEEE. <https://doi.org/10.1109/SSCI47803.2020.9308468>
19. Zeng, A., Song, S., Lee, J., Rodriguez, A., & others. (2018). Learning synergies between pushing and grasping with self-supervised deep reinforcement learning. *IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*.
20. Johannink, T., Bahl, S., Nair, A., Luo, A., Kumar, A., Loskyll, M., & Levine, S. (2019). Residual reinforcement learning for robot control. In *2019 IEEE International Conference on Robotics and Automation (ICRA)* (pp. 6023–6029). IEEE.