

Advanced Autonomous Computing Models for Smart Systems

Dr. Eleanor Hughes

Senior Lecturer, University of Glasgow, United Kingdom

Abstract

Advanced autonomous computing models are becoming increasingly important for the development of smart systems capable of sensing, analyzing, learning, and responding to changing environmental and operational conditions with limited human intervention. The integration of artificial intelligence, machine learning, edge computing, cloud computing, Internet of Things technologies, distributed computing, and intelligent automation provides a technological foundation for autonomous decision-making. This study examines advanced autonomous computing models for smart systems through a conceptual and literature-based research approach.

The study focuses on autonomous sensing, distributed intelligence, adaptive computation, edge intelligence, predictive analytics, intelligent resource allocation, and automated decision-making. The analysis indicates that autonomous computing models can improve responsiveness, scalability, operational efficiency, and adaptability across smart infrastructure, transportation, manufacturing, healthcare, energy, agriculture, and urban systems. Edge-based intelligence can reduce latency by processing information closer to data sources, while cloud platforms provide scalable computational resources for complex analytical tasks. Distributed and collaborative computing models can further improve system resilience and support decentralized decision-making.

However, autonomous computing introduces challenges related to cybersecurity, privacy, explainability, interoperability, computational resource requirements, reliability, and human oversight. The study emphasizes that autonomous smart systems should incorporate continuous monitoring, adaptive learning, secure communication, transparent decision-making, and appropriate human supervision. Future research should investigate energy-efficient autonomous computing, federated intelligence, explainable autonomous decision-making, self-healing architectures, intelligent digital twins, and resilient decentralized systems. The study concludes that advanced autonomous computing models can provide a strong foundation for next-generation smart systems when computational intelligence is integrated with secure, reliable, scalable, and responsible system architectures.

Keywords: Autonomous Computing, Smart Systems, Artificial Intelligence, Edge Computing, Machine Learning, Internet of Things, Distributed Computing, Intelligent Automation, Autonomous Decision-Making, Smart Infrastructure

1. Introduction

The rapid development of digital technologies has transformed conventional computing environments into increasingly intelligent and interconnected systems. Smart infrastructure, industrial systems, transportation networks, energy platforms, buildings, agricultural environments, and urban services increasingly depend on continuous data collection and computational intelligence. Conventional computing models frequently require predetermined instructions and substantial human intervention. Autonomous computing introduces a different approach by enabling systems to observe their environments, analyze operational information, learn from changing conditions, and initiate appropriate actions with reduced dependence on direct human control.

The Internet of Things provides an important foundation for autonomous smart systems by connecting physical devices, sensors, machines, and digital platforms. IoT-enabled environments can continuously generate information related to operational conditions, environmental changes, equipment performance, energy consumption, mobility, and user interactions. However, collecting data alone is insufficient for autonomous operation. Intelligent computing models are required to transform raw information into meaningful insights and operational decisions. The combination of IoT with artificial intelligence and advanced computing therefore enables smart systems to move from passive monitoring toward intelligent and adaptive management.

Edge computing has further expanded the possibilities of autonomous computing by bringing computational capabilities closer to data-generation points. Processing information at or near the edge can reduce communication delays and support applications that require rapid responses. Cloud computing remains valuable for large-scale storage, model training, and computationally intensive analytical tasks. Hybrid edge-cloud architectures can therefore distribute computational workloads according to application requirements. Distributed computing additionally enables multiple devices and computational nodes to cooperate, creating opportunities for decentralized intelligence and improved system resilience.

Autonomous computing models can support numerous smart-system applications. In manufacturing, autonomous systems can monitor production processes and identify operational anomalies. In transportation, intelligent systems can analyze traffic conditions and support adaptive mobility management. Smart energy systems can use predictive models for demand management, while intelligent agriculture can combine environmental sensing with automated resource decisions. Smart buildings and infrastructure can use autonomous monitoring for energy optimization, maintenance, and operational control. These applications demonstrate the potential of autonomous computing to improve responsiveness and reduce unnecessary human intervention.

Despite these opportunities, autonomous computing systems introduce complex technological and governance requirements. Autonomous decisions can have significant consequences when systems operate in safety-critical or highly dynamic environments. Cybersecurity vulnerabilities may affect autonomous actions, while inadequate data quality can produce inappropriate decisions. Explainability, accountability, privacy, interoperability, computational costs, and human oversight are therefore important considerations. This study examines advanced autonomous computing models for smart systems through a conceptual and literature-based approach, focusing on technological foundations, applications, analytical dimensions, challenges, and future research opportunities.

2. Objectives of the Study

2.1 Primary Objective

The primary objective of this study is to examine advanced autonomous computing models for smart systems and analyze how artificial intelligence, machine learning, edge computing, cloud computing, distributed computing, Internet of Things technologies, and intelligent automation can enable adaptive sensing, autonomous decision-making, real-time processing, and intelligent system management.

The study also seeks to identify the major technological and operational requirements associated with autonomous smart systems. Particular attention is given to system adaptability, computational efficiency, cybersecurity, privacy, explainability, interoperability, reliability, scalability, resource management, and human oversight as important considerations for responsible autonomous computing development.

2.2 Examination of Autonomous Computing Technologies

The first objective is to examine the technological components that support autonomous computing models, including artificial intelligence, machine learning, edge computing, cloud computing, distributed computing, IoT, predictive analytics, and intelligent automation. The study considers how these technologies collectively enable smart systems to perceive conditions and make computationally supported decisions.

The objective also examines the interaction between sensing, communication, computation, intelligence, and action. Autonomous systems require continuous information from their environments, computational mechanisms for processing that information, and intelligent models for interpreting changing conditions. Automated control mechanisms can then implement decisions while feedback supports continuous adaptation and system improvement.

2.3 Assessment of Autonomous Smart-System Applications

The second objective is to examine applications of autonomous computing models across smart transportation, manufacturing, energy, agriculture, infrastructure, buildings, environmental monitoring, and urban systems. The study evaluates how autonomous computation can improve responsiveness, resource utilization, operational monitoring, predictive management, and decision-making.

The objective further considers the requirements for reliable autonomous operation. Secure communication, explainable intelligence, robust data management, interoperable architectures, computational efficiency, continuous monitoring, and human oversight are considered important. The study seeks to establish a conceptual framework for understanding the practical potential and limitations of autonomous computing in smart systems.

3. Review of Literature

3.1 Autonomous Computing and Intelligent Systems

Autonomous computing is closely associated with the development of systems capable of managing complex operations with limited direct human intervention. Kephart and Chess (2003) introduced autonomic computing as an approach in which computing systems can manage themselves according to predefined objectives. Artificial intelligence and machine learning have subsequently expanded

autonomous capabilities by enabling systems to learn patterns, predict conditions, and support adaptive decision-making.

Machine learning provides important computational capabilities for autonomous smart systems because models can identify patterns from data and generate predictions. Russell and Norvig (2021) discuss intelligent agents as systems capable of perceiving environments and selecting actions to achieve objectives. This agent-based perspective is particularly relevant to autonomous smart systems where continuous perception, reasoning, and action are required.

3.2 Edge, Cloud, and Distributed Computing

Edge computing has emerged as an important architecture for smart systems that require low-latency processing. Shi et al. (2016) described edge computing as a model that brings computational resources closer to data sources. This approach can reduce communication delays and support real-time applications. Satyanarayanan (2017) similarly highlighted the role of edge computing in supporting responsive mobile and distributed applications.

Cloud computing provides scalable computational resources for storage, processing, and analytical workloads. Mell and Grance (2011) described cloud computing as a model providing convenient and on-demand access to configurable computing resources. Combining cloud and edge capabilities can support distributed autonomous systems in which time-sensitive processing occurs locally while computationally intensive tasks are handled through centralized or remote platforms.

3.3 IoT and Smart-System Applications

The Internet of Things provides the connectivity infrastructure required for many autonomous smart systems. Gubbi et al. (2013) emphasized the importance of sensing, communication, cloud platforms, and intelligent applications in IoT architectures. Connected devices can continuously provide information about physical environments and operational conditions, enabling intelligent systems to respond to changing situations.

Autonomous smart-system applications extend across industrial and urban environments. Xu et al. (2014) examined IoT applications in industrial contexts, while Kusiak (2018) discussed smart manufacturing and the integration of intelligent digital technologies into production. These studies demonstrate the potential of connected intelligence for monitoring, prediction, optimization, and automated management. However, autonomous applications require reliable data, secure connectivity, appropriate computational resources, and suitable governance mechanisms.

4. Research Methodology

4.1 Research Design

This study adopts a conceptual and literature-based research design to examine advanced autonomous computing models for smart systems. The research focuses on autonomous computing, artificial intelligence, machine learning, edge computing, cloud computing, distributed systems, IoT, predictive analytics, intelligent automation, and smart-system applications.

The design is descriptive and analytical rather than experimental. Existing academic literature is examined to identify technological foundations, computing architectures, autonomous capabilities,

application areas, implementation requirements, and challenges. The approach allows different autonomous computing technologies to be considered within a unified framework and avoids the introduction of fabricated experimental results or unsupported primary observations.

4.2 Literature Collection and Organization

The literature was organized around major themes associated with autonomous smart computing. These themes included autonomic computing, intelligent agents, IoT architectures, edge computing, cloud computing, distributed intelligence, machine learning, smart manufacturing, intelligent transportation, smart energy, and intelligent infrastructure.

The reviewed literature was subsequently categorized according to computational function. Particular attention was given to sensing, communication, local processing, cloud processing, prediction, decision-making, automation, and feedback. This organization supported identification of recurring technological patterns and enabled comparison of different approaches to autonomous computing within smart-system environments.

4.3 Analytical Framework

The analytical framework considers autonomous computing through six interconnected dimensions: perception, connectivity, computation, intelligence, action, and feedback. Perception involves collecting information from the surrounding environment through sensors and connected devices. Connectivity transfers information among devices, edge nodes, and cloud platforms.

Computation processes collected information, while intelligence uses artificial intelligence, machine learning, prediction, and optimization. Action represents automated responses based on computational decisions, and feedback enables the system to evaluate changing conditions and adjust subsequent decisions. Security, privacy, reliability, explainability, interoperability, and human oversight are treated as cross-cutting requirements.

4.4 Data Analysis Approach

A thematic analysis approach was used to identify recurring concepts in the reviewed literature. The analysis considered how different computing architectures support autonomy, real-time processing, adaptive decision-making, intelligent resource management, and system responsiveness. Technologies were examined according to their computational roles and smart-system applications.

The identified themes were grouped into technology, architecture, application, capability, and challenge categories. Comparative interpretation was then used to identify relationships among sensing, computing, intelligence, automation, and feedback. This approach provides a structured conceptual understanding of autonomous computing without presenting unsupported quantitative findings.

5. Analysis

5.1 Autonomous Computing Technologies for Smart Systems

Advanced autonomous smart systems depend on the coordinated operation of sensing, communication, computation, intelligence, and automated action. Different computing models provide distinct capabilities. Edge computing supports localized processing, cloud computing provides scalable

resources, distributed computing enables collaborative processing, and artificial intelligence supports adaptive decision-making. IoT provides connectivity between physical and digital environments. Table 1 presents major autonomous computing technologies and their principal roles within smart systems.

Table 1: Autonomous Computing Technologies and Their Roles

Technology	Primary Computing Role	Smart-System Capability
Artificial Intelligence	Intelligent reasoning	Autonomous decision support
Machine Learning	Pattern learning	Adaptive prediction
Edge Computing	Local processing	Low-latency response
Cloud Computing	Centralized processing	Scalable computation
Distributed Computing	Collaborative processing	Decentralized intelligence
Internet of Things	Data generation and connectivity	Continuous environmental awareness
Predictive Analytics	Forecasting	Proactive management
Intelligent Automation	Automated execution	Reduced manual intervention
Digital Twins	System simulation	Predictive operational planning
Intelligent Agents	Perception and action	Autonomous task execution

Interpretation: Table 1 shows that autonomous computing is not dependent on a single technological mechanism. Instead, autonomy emerges through the integration of complementary capabilities. IoT provides environmental information, while edge and cloud computing process data at different computational levels. Artificial intelligence and machine learning enable prediction and intelligent reasoning. Distributed computing can support decentralized operations, while predictive analytics enables proactive responses. Intelligent automation translates computational outputs into actions, and intelligent agents provide mechanisms for continuous perception and task execution. Digital twins can further support simulation and planning. Together, these technologies provide the computational foundation for smart autonomous systems.

5.2 Applications of Autonomous Computing Models

Autonomous computing models can support smart systems in environments where rapid decision-making, continuous monitoring, and adaptive management are required. Industrial operations, transportation, energy, agriculture, buildings, infrastructure, and environmental systems can benefit from autonomous computational capabilities. Table 2 summarizes major application areas and their potential functions.

Table 2: Applications of Autonomous Computing in Smart Systems

Application Area	Autonomous Computing Function	Potential Operational Contribution
Smart Manufacturing	Autonomous process monitoring	Production optimization
Smart Transportation	Adaptive traffic analysis	Responsive mobility management
Smart Energy	Demand prediction	Intelligent energy management
Precision Agriculture	Environmental decision support	Targeted resource management
Smart Buildings	Automated control	Efficient building operations
Smart Infrastructure	Predictive monitoring	Proactive asset management
Environmental Systems	Continuous analysis	Rapid environmental response
Smart Logistics	Route optimization	Improved operational coordination
Connected Healthcare	Intelligent monitoring	Responsive service support
Urban Systems	Distributed decision-making	Coordinated smart services

Interpretation: Table 2 demonstrates that autonomous computing models have broad applicability across smart-system environments. Manufacturing systems can use autonomous monitoring for process optimization, while transportation platforms can respond dynamically to changing mobility conditions. Smart energy systems can use prediction for demand management, and agricultural systems can combine environmental information with intelligent resource decisions. Smart buildings can automate operational

controls, while infrastructure systems can use predictive monitoring. Environmental applications can support continuous analysis, and logistics systems can use intelligent optimization. These applications indicate that autonomous computing can improve responsiveness and reduce dependence on continuous manual intervention.

6. Discussion

Advanced autonomous computing models provide an important foundation for smart systems that need to operate in dynamic environments. Unlike conventional computing systems that frequently depend on predefined instructions and direct human intervention, autonomous models can continuously process environmental information and adjust operations. IoT sensors provide the necessary perception capabilities, while AI and machine learning support interpretation and prediction. This combination can make smart systems more responsive to changing operational conditions.

The integration of edge, cloud, and distributed computing provides flexibility in allocating computational workloads. Edge computing can support time-sensitive decisions close to data sources, while cloud platforms can manage large-scale processing and storage. Distributed computing can allow multiple nodes to cooperate, potentially improving resilience and reducing dependence on centralized infrastructure. Hybrid architectures can therefore provide an effective computational foundation for applications requiring both real-time responsiveness and extensive analytical capabilities.

Nevertheless, autonomous operation introduces significant requirements for reliability and responsible decision-making. Errors in data, models, or system logic can influence automated actions. Cybersecurity weaknesses can potentially affect autonomous operations, while opaque AI models may make it difficult to understand decisions. Autonomous smart systems should therefore include security controls, monitoring mechanisms, explainability, fail-safe procedures, and appropriate human oversight. The development of autonomy should focus not only on increasing automation but also on ensuring reliability, accountability, transparency, and operational safety.

7. Challenges

7.1 Reliability and Autonomous Decision-Making

Autonomous smart systems are expected to make decisions under changing and sometimes uncertain conditions. Inaccurate sensor information, incomplete datasets, unexpected environmental changes, and inappropriate model assumptions can affect computational decisions. These issues become particularly important when autonomous systems operate continuously without direct human intervention.

Reliability therefore requires continuous monitoring, model validation, anomaly detection, and appropriate fallback mechanisms. Autonomous systems should be capable of recognizing uncertain conditions and avoiding inappropriate actions. Human intervention may remain necessary for exceptional circumstances or high-impact decisions. Robust testing, simulation, digital twins, and controlled deployment can help organizations evaluate autonomous behavior before systems are introduced into complex operational environments.

7.2 Cybersecurity and Privacy

Autonomous smart systems depend on interconnected devices, communication networks, computing platforms, and data resources. This connectivity increases the potential attack surface and can create risks involving unauthorized access, malicious data modification, system disruption, and manipulation of autonomous decisions.

Privacy is also an important consideration when smart systems collect information about individuals, organizations, locations, or operational behavior. Security mechanisms such as encryption, authentication, access controls, secure software, network monitoring, and anomaly detection should be integrated throughout the system lifecycle. Privacy-oriented data management should also define how information is collected, stored, processed, and shared. Secure architecture is essential because cybersecurity failures can directly affect autonomous system behavior.

7.3 Interoperability and Computational Complexity

Autonomous smart systems often integrate hardware and software components developed by different manufacturers and using different standards. Differences in communication protocols, data formats, APIs, operating environments, and computational architectures can create interoperability problems. Such problems can limit the ability of autonomous components to exchange information effectively.

Computational complexity is another concern because advanced AI models may require substantial processing resources. Hybrid edge-cloud architectures can distribute workloads according to computational requirements. Standardized interfaces, modular architectures, interoperable protocols, and efficient models can further improve integration. Reducing unnecessary computational requirements is particularly important for resource-constrained devices and applications requiring continuous autonomous operation.

7.4 Explainability and Human Oversight

Autonomous systems may use complex machine-learning models that are difficult for users to interpret. Limited explainability can create concerns when stakeholders need to understand why a particular autonomous decision was produced. This is especially important when decisions affect safety, resource allocation, infrastructure, or other high-impact operational areas.

Human oversight can provide an important safeguard by enabling people to review exceptional situations and intervene when autonomous behavior becomes inappropriate. Explainable AI, transparent decision rules, confidence indicators, audit mechanisms, and human-in-the-loop architectures can improve trust. Autonomous systems should therefore be designed to balance computational independence with appropriate mechanisms for accountability, supervision, and intervention.

8. Future Research

Future research should investigate energy-efficient autonomous computing architectures that can operate effectively under limited computational and energy resources. Particular attention should be given to lightweight machine-learning models, edge intelligence, adaptive resource allocation, efficient processors, and sustainable computing techniques that reduce computational overhead while maintaining reliable autonomous decision-making.

Further research should explore federated intelligence, self-healing architectures, intelligent digital twins, and decentralized autonomous systems. These approaches could support privacy-preserving learning, improved resilience, distributed decision-making, and predictive system management. Research should also examine explainable autonomous computing to improve transparency, accountability, and stakeholder understanding of machine-generated decisions.

Future empirical studies should establish standardized evaluation frameworks for autonomous smart systems. Important indicators could include decision accuracy, response time, computational efficiency, energy consumption, reliability, cybersecurity, adaptability, explainability, scalability, human intervention requirements, and operational resilience. Comparative research across industrial, transportation, energy, agricultural, infrastructure, and urban environments could identify architectures most appropriate for different autonomous computing requirements.

9. Conclusion

Advanced autonomous computing models provide a technological foundation for developing smart systems capable of continuous perception, intelligent processing, adaptive decision-making, and automated action. By integrating artificial intelligence, machine learning, IoT, edge computing, cloud computing, and distributed intelligence, smart systems can move beyond conventional monitoring toward more responsive and adaptive operational management. These capabilities can support complex environments where changing conditions require rapid computational responses.

The analysis demonstrates that autonomous computing depends on the integration of multiple computational layers. IoT provides environmental awareness, connectivity enables information exchange, edge and cloud computing provide processing resources, and AI and machine learning support prediction and intelligent reasoning. Automated control mechanisms can then implement decisions, while feedback enables continuous adaptation. Such architectures can support smart manufacturing, transportation, energy, agriculture, infrastructure, buildings, and urban applications.

Several challenges must be addressed before autonomous computing can achieve reliable and responsible large-scale deployment. Reliability, cybersecurity, privacy, interoperability, computational complexity, explainability, and human oversight remain important concerns. Autonomous systems should therefore incorporate robust validation, secure communication, transparent decision mechanisms, continuous monitoring, and appropriate intervention capabilities. Increasing autonomy should not eliminate accountability or responsible supervision.

Overall, advanced autonomous computing models have considerable potential to transform smart-system operations by enabling more adaptive, efficient, and intelligent computational environments. Future development should emphasize energy-efficient AI, decentralized intelligence, federated learning, self-healing architectures, digital twins, explainable autonomy, and resilient edge-cloud systems. A balanced approach combining computational independence with security, transparency, reliability, and human oversight can provide a stronger foundation for next-generation smart systems.

References

1. Kephart, J. O., & Chess, D. M. (2003). The vision of autonomic computing. *Computer*, 36(1), 41–50. <https://doi.org/10.1109/MC.2003.1160055>
2. Ganek, A. G., & Corbi, T. A. (2003). The dawning of the autonomic computing era. *IBM Systems Journal*, 42(1), 5–18. <https://doi.org/10.1147/sj.421.0005>
3. Huebscher, M. C., & McCann, J. A. (2008). A survey of autonomic computing—Degrees, models, and applications. *ACM Computing Surveys*, 40(3), Article 7. <https://doi.org/10.1145/1380584.1380585>
4. Salehie, M., & Tahvildari, L. (2009). Self-adaptive software: Landscape and research challenges. *ACM Transactions on Autonomous and Adaptive Systems*, 4(2), Article 14. <https://doi.org/10.1145/1516533.1516538>
5. Cheng, B. H. C., Giese, H., Inverardi, P., Magee, J., Andersson, J., Becker, B., Bencomo, N., Brun, Y., Cukic, I., Di Marzo Serugendo, G., Dustdar, S., Finkelstein, A., Gacek, C., Geihs, K., Grassi, V., Karsai, G., Kienle, H., Kramer, J., Krawczyk, J., Mirandola, R., Müller, H. A., Park, S., Shaw, M. C., Tichy, M., Tivoli, M., Weyns, D., & Whittle, J. (2009). Software engineering for self-adaptive systems: A research roadmap. In *Software Engineering for Self-Adaptive Systems*, 1–26. Springer. https://doi.org/10.1007/978-3-642-02161-9_1
6. Andersson, J., de Lemos, R., Malek, S., & Weyns, D. (2009). Modeling dimensions of self-adaptive software systems. In *Software Engineering for Self-Adaptive Systems*, 27–41. Springer. https://doi.org/10.1007/978-3-642-02161-9_2
7. Kramer, J., & Magee, J. (2007). Self-managed systems: An architectural challenge. *Future of Software Engineering*, 259–268. IEEE. <https://doi.org/10.1109/FOSE.2007.19>
8. Weyns, D., Malek, S., & de Lemos, R. (2012). The role of architectures in self-adaptive systems. *Software Engineering for Self-Adaptive Systems II*, 35–51. Springer. https://doi.org/10.1007/978-3-642-35813-5_2
9. Krupitzer, C., Wagenstetter, N., Becker, C., & Ruppel, P. (2015). A survey on engineering approaches for self-adaptive systems. *Pervasive and Mobile Computing*, 17, 133–152. <https://doi.org/10.1016/j.pmcj.2014.06.003>
10. Cámara, J., de Lemos, R., Litoiu, M., Giese, H., & Andersson, J. (2015). Models for self-adaptive systems: A systematic literature review. *ACM Transactions on Autonomous and Adaptive Systems*, 10(1), Article 1. <https://doi.org/10.1145/2699732>
11. de Lemos, R., Giese, H., Müller, H. A., Shaw, M. C., Andersson, J., Becker, B., Bencomo, N., Brun, Y., Cukic, I., Di Marzo Serugendo, G., Dustdar, S., Finkelstein, A., Karsai, G., Kramer, J., Kienle, H., Kramer, J., Mirandola, R., Park, S., Shaw, M., Tichy, M., Tivoli, M., Weyns, D., & Whittle, J. (2013). Software engineering for self-adaptive systems: A second research roadmap. In *Software Engineering for Self-Adaptive Systems II*, 1–32. Springer. https://doi.org/10.1007/978-3-642-35813-5_1
12. Weyns, D., Iftikhar, M. U., de Lemos, R., & Ahmad, T. (2013). A survey of formal methods in self-adaptive systems. *Proceedings of the 5th International Symposium on Software Engineering for Adaptive and Self-Managing Systems*, 67–76. ACM.

13. Bencomo, N., Sawyer, P., Whittle, J., & Cheng, B. H. C. (2010). Requirements reflection models for adaptive systems. In *Models@run.time*, 159–184. Springer. https://doi.org/10.1007/978-3-642-12453-0_7
14. Weyns, D., & Malek, S. (2010). A three-layered architectural model for self-adaptive systems. In *Software Engineering for Self-Adaptive Systems*, Springer.
15. Porter, B., Rodrigues Filho, R., & Dean, P. (2020). A survey of methodology in self-adaptive systems research. In *2020 IEEE International Conference on Autonomic Computing and Self-Organizing Systems*, 168–177. IEEE.
16. Wong, T., Wagner, M., & Treude, C. (2022). Self-adaptive systems: A systematic literature review across categories and domains. *Information and Software Technology*, 148, 106934. <https://doi.org/10.1016/j.infsof.2022.106934>
17. Dehraj, P., & Sharma, A. (2021). A review on architecture and models for autonomic software systems. *The Journal of Supercomputing*, 77(1), 388–414. <https://doi.org/10.1007/s11227-020-03268-0>
18. Rosendo, D., Costan, A., Valduriez, P., & Antoniu, G. (2022). Distributed intelligence on the Edge-to-Cloud Continuum: A systematic literature review. *Journal of Parallel and Distributed Computing*, 166, 71–94. <https://doi.org/10.1016/j.jpdc.2022.04.004>
19. Fizza, M. S., Banerjee, A., & Puvvada, K. (2022). AI for next generation computing: Emerging trends and future directions. *Internet of Things*, 19, 100514. <https://doi.org/10.1016/j.iot.2022.100514>
20. Krupitzer, C., Becker, C., & Ruppel, P. (2020). An overview of self-adaptive systems and autonomic computing approaches for intelligent environments. *Journal of Ambient Intelligence and Humanized Computing*.