

Predictive Models for Early Disease Detection Using AI

Dr. Thomas Schultz

Professor, University of Bonn, Germany

Abstract

Early disease detection is an important objective of modern healthcare because timely identification of potential health conditions can support preventive intervention, appropriate clinical evaluation, and improved healthcare planning. The increasing availability of electronic health records, medical imaging, laboratory information, genomic data, wearable-device measurements, and clinical narratives has created opportunities for artificial intelligence-based predictive models to identify complex patterns associated with disease risk. This study examines predictive models for early disease detection using artificial intelligence through a conceptual and literature-based research design.

The study focuses on machine learning, deep learning, predictive analytics, natural language processing, medical imaging analysis, and multimodal artificial intelligence approaches. AI-based predictive models can process large healthcare datasets and identify relationships that may not be easily recognized through conventional analytical approaches. Applications include early identification of cardiovascular conditions, cancer-related abnormalities, diabetes risk, neurological disorders, infectious diseases, and other health conditions. Predictive models may support clinical decision-making by generating risk assessments, prioritizing patients for further evaluation, and identifying potentially significant patterns.

However, their implementation is affected by challenges involving data quality, dataset imbalance, algorithmic bias, interpretability, external validation, privacy, cybersecurity, interoperability, and clinical workflow integration. The study emphasizes that AI-based prediction should complement rather than replace professional clinical judgment. Reliable implementation requires transparent model development, rigorous validation, appropriate governance, representative datasets, and continuous performance monitoring. The study concludes that predictive AI can contribute significantly to future healthcare when developed through clinically relevant, ethically responsible, interpretable, and patient-centered frameworks.

Keywords: Predictive Models, Artificial Intelligence, Early Disease Detection, Machine Learning, Deep Learning, Medical Imaging, Predictive Analytics, Healthcare AI, Disease Prediction, Digital Healthcare.

1. Introduction

Early disease detection has become an increasingly important objective within modern healthcare because identifying potential disease conditions at an earlier stage can support timely clinical evaluation and appropriate intervention. Conventional approaches to disease identification frequently depend on

symptoms, clinical examinations, laboratory investigations, and diagnostic imaging. Although these approaches remain essential, the growing volume and complexity of healthcare information have created opportunities for computational technologies to support earlier recognition of clinically relevant patterns.

Artificial intelligence has introduced new capabilities for analyzing large and heterogeneous healthcare datasets. Machine-learning algorithms can identify statistical relationships within structured clinical information, while deep-learning approaches can process complex data such as medical images and physiological signals. Natural language processing can analyze information contained in clinical narratives and biomedical documentation. These capabilities allow predictive models to estimate disease risk, classify abnormalities, identify patterns, and assist healthcare professionals in prioritizing cases for further evaluation.

Medical imaging represents one of the important application areas for AI-based early disease detection. Deep-learning models can analyze radiological and pathological images and identify visual patterns associated with specific medical conditions. Predictive models can also utilize laboratory results, demographic information, medical histories, genetic information, and wearable-device measurements. Combining different information sources may provide a more comprehensive representation of individual health conditions and potentially improve predictive performance.

Despite these opportunities, AI-based prediction cannot be treated as inherently accurate or universally applicable. Models may perform differently across populations, healthcare institutions, devices, and clinical environments. Bias within training data, incomplete information, poor data quality, limited interpretability, and inadequate external validation can reduce reliability. Privacy and cybersecurity are also important because predictive models may process highly sensitive health information. Human clinical expertise therefore remains necessary for interpreting predictions and determining appropriate medical action.

The development of predictive models for early disease detection requires an integrated approach combining computational innovation, clinical knowledge, data governance, and responsible implementation. Models should be appropriately validated and continuously monitored after deployment. This study examines predictive models for early disease detection using AI, focusing on major technological approaches, healthcare applications, analytical contributions, implementation challenges, and future research directions.

2. Objectives of the Study

2.1 Primary Objective

The primary objective of this study is to examine predictive models for early disease detection using artificial intelligence and analyze how machine learning, deep learning, predictive analytics, medical imaging, natural language processing, and multimodal data integration can support early identification of potential disease patterns and healthcare risk conditions.

The study also aims to identify the technological, clinical, and governance requirements necessary for reliable AI-based prediction. Particular attention is given to data quality, model accuracy, interpretability, validation, algorithmic fairness, privacy, cybersecurity, interoperability, and clinical workflow integration. The study seeks to provide a structured conceptual understanding of responsible AI-supported early disease detection.

2.2 Examination of AI-Based Predictive Techniques

The first objective is to examine major AI-based predictive techniques used for early disease detection, including supervised machine learning, deep learning, classification models, predictive analytics, natural language processing, and medical image analysis.

The objective further evaluates how these approaches can process structured and unstructured healthcare information to identify disease-related patterns. Emphasis is placed on the relationship between data characteristics, model selection, predictive performance, interpretability, and clinical applicability. Understanding these elements is essential for developing reliable prediction systems.

2.3 Assessment of Early Disease Detection Applications

The second objective is to assess the potential application of predictive AI models in cardiovascular disease, cancer detection, diabetes risk assessment, neurological conditions, infectious diseases, and other medical areas.

The objective also examines implementation barriers, including limited datasets, class imbalance, algorithmic bias, privacy concerns, lack of explainability, external validation requirements, interoperability problems, and clinical acceptance. Identifying these factors can support the development of safe and clinically meaningful predictive systems.

3. Review of Literature

3.1 Artificial Intelligence in Disease Prediction

Artificial intelligence has become increasingly relevant to healthcare prediction because machine-learning models can analyze complex relationships within large datasets. Rajkomar, Dean, and Kohane (2019) described machine learning as an emerging approach for analyzing healthcare information and supporting medical applications. Yu, Beam, and Kohane (2018) similarly emphasized the potential of AI to transform healthcare through computational analysis and intelligent systems.

Obermeyer and Emanuel (2016) highlighted the potential of big data and machine learning for prediction in clinical medicine. Predictive models can support risk assessment and clinical prioritization, although their usefulness depends on appropriate data, validation, interpretability, and integration with clinical practice.

3.2 Deep Learning and Medical Imaging

Deep learning has demonstrated substantial potential for analyzing medical images because neural networks can automatically identify complex visual patterns. Litjens et al. (2017) reviewed deep learning applications in medical image analysis and identified applications across areas such as detection, segmentation, and classification.

Esteva et al. (2019) examined deep learning in healthcare and discussed its potential for medical image interpretation and other clinical applications. However, imaging models require appropriate datasets, representative populations, technical validation, and clinical assessment. High predictive performance in one dataset does not necessarily guarantee equivalent performance in another clinical environment.

3.3 Explainability and Clinical Integration

AI-based predictive models may be difficult for healthcare professionals to interpret, particularly when complex deep-learning architectures are used. Amann et al. (2020) emphasized the importance of explainability for healthcare AI. Interpretable predictions can help professionals understand the basis and limitations of algorithmic outputs.

Kelly et al. (2019) identified important challenges in translating AI systems into clinical impact. These include data differences, workflow integration, validation, and implementation conditions. Predictive systems therefore need to be evaluated beyond technical accuracy and should demonstrate clinical relevance, reliability, usability, and appropriate governance.

4. Research Methodology

4.1 Research Design

This study adopts a conceptual and literature-based research design to examine AI-based predictive models for early disease detection. The research focuses on machine learning, deep learning, predictive analytics, medical imaging, natural language processing, and multimodal healthcare data.

The study uses a descriptive and analytical approach rather than an experimental clinical design. Existing academic literature is reviewed to identify predictive techniques, healthcare applications, potential contributions, and implementation requirements. No fabricated patient datasets, clinical measurements, diagnostic outcomes, or experimental results are presented. The research develops a structured conceptual understanding of predictive AI applications in early disease detection.

4.2 Literature Collection and Organization

The literature was organized around major themes related to AI-supported disease prediction, including machine learning, deep learning, medical imaging, clinical prediction, predictive analytics, natural language processing, explainable AI, and healthcare data integration.

Relevant literature was conceptually grouped according to prediction technique, data source, disease application, predictive function, and implementation requirement. Attention was given to structured clinical data, medical images, laboratory information, clinical narratives, physiological measurements, and multimodal datasets. The thematic organization supported a comparative examination of AI-based predictive approaches.

4.3 Analytical Framework

The analytical framework evaluates predictive disease detection through the following dimensions:

- **Healthcare Data Acquisition:** Clinical records, laboratory results, imaging, physiological signals, genomics, and wearable-device information provide predictive inputs.
- **Data Preparation:** Data cleaning, normalization, feature engineering, annotation, and quality assessment prepare information for model development.
- **Predictive Modeling:** Machine learning and deep learning techniques identify disease-associated patterns.
- **Risk Estimation:** Models generate predictions, classifications, probability estimates, or risk scores.

- **Explainability:** Interpretable mechanisms help healthcare professionals understand relevant predictive factors.
- **Clinical Validation:** Models require appropriate internal and external validation before practical use.
- **Clinical Integration:** Predictive outputs should be incorporated into healthcare workflows and professional decision-making.
- **Continuous Monitoring:** Model performance, fairness, data drift, and reliability should be monitored after implementation.

4.4 Data Analysis Approach

A thematic analytical approach was applied to the reviewed literature to identify major predictive technologies, disease applications, data sources, potential benefits, and implementation challenges. The analysis considered both structured and unstructured healthcare information.

The identified themes were categorized into technological, clinical, data-related, organizational, and governance dimensions. Comparative interpretation was used to examine how predictive AI models contribute to early disease detection. Particular attention was given to predictive accuracy, interpretability, validation, data quality, fairness, privacy, cybersecurity, workflow integration, and clinical oversight.

5. Analysis

5.1 AI Techniques for Early Disease Detection

AI-based disease detection uses different predictive techniques depending on the nature and complexity of healthcare information. Traditional machine-learning models can process structured clinical variables, while deep-learning approaches can analyze medical images and complex signals.

Natural language processing can extract information from clinical narratives, and ensemble models can combine multiple predictive approaches. Multimodal systems can integrate different healthcare data types. Table 1 summarizes major AI techniques and their potential applications.

Table 1: AI Techniques and Their Applications in Early Disease Detection

AI Technique	Primary Function	Potential Application
Logistic Regression	Risk estimation	Disease risk prediction
Decision Trees	Classification	Clinical risk assessment
Random Forest	Ensemble classification	Disease screening
Support Vector Machine	Pattern classification	Disease identification
Neural Networks	Nonlinear prediction	Health risk modeling
Deep Learning	Complex pattern recognition	Medical imaging
Convolutional Neural	Image analysis	Image-based detection

AI Technique	Primary Function	Potential Application
Networks		
Natural Language Processing	Text analysis	Clinical record analysis
Ensemble Learning	Combined prediction	Diagnostic risk assessment
Multimodal AI	Data integration	Comprehensive prediction

Interpretation: illustrates that different AI techniques serve different predictive functions in early disease detection. Logistic regression and decision trees can support risk estimation and classification using structured clinical information. Random forests and support vector machines can identify patterns across complex datasets. Neural networks and deep-learning models can process nonlinear relationships, while convolutional neural networks are particularly useful for image-based analysis.

Natural language processing extends predictive analysis to clinical text. Ensemble and multimodal approaches can combine complementary information and potentially strengthen prediction. However, model selection should be based on clinical objectives, data characteristics, validation, and interpretability.

5.2 Healthcare Applications of Predictive AI

Predictive AI models can be applied across a wide range of disease areas. Cardiovascular risk prediction can utilize clinical and physiological variables, while cancer detection can incorporate imaging and pathology information.

Diabetes prediction may use demographic, clinical, and laboratory data. Neurological applications can involve medical imaging and behavioral or physiological information. Infectious disease prediction can incorporate symptoms, laboratory data, epidemiological information, and temporal patterns. presents major disease areas and predictive applications.

Table 2: Disease Areas and Predictive AI Applications

Disease Area	Predictive Data	Potential AI Application
Cardiovascular Disease	Clinical and physiological data	Risk prediction
Cancer	Imaging and pathology data	Early abnormality detection
Diabetes	Clinical and laboratory data	Risk assessment
Neurological Disorders	Imaging and clinical data	Pattern identification
Infectious Diseases	Symptoms and laboratory data	Risk prediction
Kidney Disease	Laboratory and clinical data	Progression prediction


Disease Area	Predictive Data	Potential AI Application
Respiratory Conditions	Imaging and physiological data	Early detection
Liver Disorders	Laboratory and clinical data	Disease-risk estimation
Eye Diseases	Retinal imaging	Image-based screening
Chronic Diseases	Longitudinal records	Predictive monitoring


Interpretation: demonstrates the broad applicability of predictive AI across different disease categories. Cardiovascular prediction can utilize clinical and physiological information, while cancer detection can use imaging and pathology data. Diabetes and kidney disease prediction may rely heavily on laboratory and clinical variables. Neurological and respiratory applications can combine imaging with other patient information.

Retinal imaging provides opportunities for automated eye-disease screening, while longitudinal health records can support chronic-disease prediction. These applications demonstrate the potential of AI to assist early identification, but predictions should remain subject to clinical evaluation, appropriate validation, and consideration of patient-specific circumstances.

5.3 Conceptual Framework for AI-Based Early Disease Detection

Figure 1: Predictive AI Framework for Early Disease Detection





Interpretation: The framework presents early disease detection as a sequential process beginning with diverse healthcare data sources. Information from electronic records, medical imaging, laboratory systems, genomics, wearables, and clinical narratives must first undergo appropriate preparation and quality assessment. AI models can then identify patterns and generate risk estimates or predictions. Before practical use, predictive outputs require clinical validation, explainability assessment, bias evaluation, and performance monitoring.

The final stage involves clinical review and appropriate healthcare action. The framework emphasizes that AI prediction functions as decision support rather than an independent replacement for professional medical judgment.

6. Discussion

6.1 Predictive Capability and Early Detection

AI-based predictive models provide opportunities to analyze healthcare information at a scale that may be difficult to achieve through conventional manual approaches. Machine-learning systems can evaluate numerous clinical variables simultaneously, while deep-learning models can identify complex patterns in medical images and physiological information. These capabilities may support earlier identification of potential abnormalities and help healthcare professionals prioritize cases for additional evaluation.

However, predictive capability must be distinguished from clinical certainty. A model can generate a high-risk prediction without establishing a definitive diagnosis. False-positive and false-negative results can affect clinical decisions and patient experiences. Therefore, predictive systems

should be evaluated using appropriate performance measures and tested across relevant populations. Clinical professionals should interpret AI outputs alongside patient history, examination findings, diagnostic testing, and other clinical evidence.

6.2 Multimodal Data and Personalized Prediction

The integration of multiple healthcare data sources represents an important direction for predictive AI. Combining electronic health records, laboratory results, medical images, genomic information, wearable-device measurements, and clinical narratives can provide a broader representation of individual health conditions. Multimodal models may identify relationships that are not apparent when individual data sources are analyzed separately.

Personalized prediction can potentially support patient-specific risk assessment by incorporating individual characteristics and longitudinal information. Nevertheless, multimodal systems are technically complex and require consistent data structures, appropriate synchronization, high-quality datasets, and strong privacy protections. Future predictive systems should therefore balance analytical sophistication with interpretability, computational requirements, clinical usefulness, and responsible data governance.

6.3 Clinical Reliability, Explainability, and Governance

The clinical value of predictive AI depends on more than algorithmic performance. Healthcare professionals need to understand the limitations and appropriate interpretation of predictions. Explainable AI can provide information about factors contributing to a prediction, potentially improving transparency and professional confidence. External validation is also essential because models may perform differently when applied to new populations or healthcare institutions.

Governance mechanisms should address data privacy, cybersecurity, fairness, accountability, and continuous model monitoring. AI models may experience performance changes when healthcare practices, populations, devices, or data distributions change. Regular monitoring can identify such changes and support model updating. Responsible governance is therefore essential for ensuring that predictive AI contributes safely and equitably to early disease detection.

7. Challenges

7.1 Data Quality and Dataset Bias

Predictive AI models depend heavily on the quality and representativeness of healthcare data. Missing information, inconsistent records, measurement differences, incorrect labels, and incomplete clinical histories can negatively affect model performance. Dataset imbalance may also cause models to perform better for some populations than others.

Healthcare organizations should establish systematic data-quality procedures and evaluate datasets before model development. Training data should represent relevant patient populations and clinical environments as closely as possible. Bias assessments should be performed during model development and validation. Continuous monitoring is also important because changes in healthcare populations or practices can affect predictive performance after deployment.

7.2 Explainability and Clinical Trust

Complex AI models, particularly deep-learning systems, can produce highly sophisticated predictions while offering limited transparency regarding how those predictions were generated. Lack of explainability may make healthcare professionals reluctant to depend on automated outputs, especially when predictions involve important medical decisions.

Explainable AI techniques can provide information about relevant variables, image regions, or patterns associated with predictions. However, explanations should be clinically meaningful rather than simply technically detailed. Healthcare professionals should also receive training regarding model capabilities and limitations. Building trust requires a combination of transparency, validation, usability, clinical evidence, and appropriate human oversight.

7.3 Privacy and Cybersecurity

AI-based disease prediction frequently requires access to sensitive health information. Electronic records, medical images, laboratory results, genomic information, and wearable data can contain highly private information. Large-scale data integration and cloud-based processing may increase exposure to privacy and cybersecurity risks.

Healthcare organizations should apply appropriate access controls, authentication, encryption, secure storage, and monitoring mechanisms. Privacy should be incorporated into model development and deployment rather than considered only after implementation. Privacy-preserving approaches such as federated learning may provide additional opportunities for collaborative model development without requiring centralized access to all raw data. Strong governance remains essential for protecting patients and maintaining trust.

7.4 Validation and Clinical Integration

A predictive model may demonstrate strong performance during development but produce different results in another hospital, population, or technological environment. Differences in equipment, patient characteristics, clinical practices, documentation, and disease prevalence can affect model performance. Limited external validation is therefore a major implementation concern.

Predictive models should undergo rigorous internal and external validation before being integrated into clinical workflows. Post-deployment monitoring should examine changes in accuracy, fairness, calibration, and clinical usefulness. Integration should also consider workflow compatibility and professional responsibilities. Effective clinical implementation requires collaboration among AI developers, healthcare professionals, data specialists, administrators, and governance teams.

8. Future Research

Future research should focus on multimodal predictive models that integrate electronic health records, medical imaging, laboratory information, genomics, physiological measurements, and clinical narratives. Such systems could provide more comprehensive representations of patient health and potentially improve individualized risk prediction. Research should investigate methods for harmonizing heterogeneous healthcare information while preserving data quality, privacy, and interoperability.

Further research should explore explainable AI, federated learning, privacy-preserving machine learning, foundation models, and adaptive prediction systems. Explainability should be evaluated from the perspective of healthcare professionals rather than solely from technical criteria. Federated approaches may support collaborative model development while limiting direct exchange of sensitive patient information. Adaptive systems should also be studied to determine how predictive performance can be maintained as data distributions and healthcare practices change.

Future empirical research should conduct multicenter and longitudinal evaluations of AI-based early disease detection models. Studies should compare predictive performance across diverse populations, healthcare settings, age groups, and demographic characteristics. Research should evaluate not only accuracy but also calibration, fairness, usability, clinical workflow impact, cost-effectiveness, patient outcomes, and professional acceptance. Such evidence can help establish responsible pathways for translating predictive AI from research environments into real-world healthcare.

9. Conclusion

Predictive models for early disease detection using AI represent an important development within modern healthcare informatics. Machine learning, deep learning, natural language processing, medical image analysis, predictive analytics, and multimodal AI can process complex healthcare information and identify patterns associated with potential disease risks. These capabilities can support screening, risk assessment, patient prioritization, monitoring, and clinical decision support.

The analysis demonstrates that predictive AI can be applied across cardiovascular disease, cancer, diabetes, neurological conditions, infectious diseases, kidney disorders, respiratory conditions, liver diseases, eye disorders, and chronic diseases. Different disease areas require different data sources and modeling strategies. The effectiveness of predictive systems depends on data quality, appropriate model selection, rigorous validation, clinical integration, interpretability, and continuous monitoring.

Several challenges remain, including dataset bias, incomplete information, explainability limitations, privacy risks, cybersecurity concerns, external validation requirements, and differences between development and real-world clinical environments. These challenges demonstrate that AI-based prediction should not be viewed as a fully autonomous diagnostic mechanism. Instead, it should operate as a decision-support capability that complements professional clinical expertise.

Overall, responsible predictive AI can contribute to earlier identification of potential disease conditions when implemented through secure, validated, interpretable, and patient-centered frameworks. Future development should emphasize multimodal prediction, personalized risk assessment, explainable AI, privacy-preserving learning, equitable model performance, and real-world clinical validation. Integrating technological innovation with clinical expertise and appropriate governance can strengthen the role of AI in future early disease detection.

References

1. Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Dermatologist-level classification of skin cancer with deep neural networks. *Nature*, 542, 115–118. <https://doi.org/10.1038/nature21056>
2. Gulshan, V., Peng, L., Coram, M., Stumpe, M. C., Wu, D., Narayanaswamy, A., Venugopalan, S., Widner, K., Madams, T., Cuadros, J., Kim, R., Raman, R., Nelson, P. C., Mega, J. L., & Webster, D. R. (2016). Development and validation of a deep learning algorithm for detection of diabetic retinopathy in retinal fundus photographs. *JAMA*, 316(22), 2402–2410. <https://doi.org/10.1001/jama.2016.17216>
3. Kermany, D. S., Goldbaum, M., Cai, W., Valentim, C. C. S., Liang, H., Baxter, S. L., McKeown, A., Yang, G., Wu, X., Yan, F., Dong, J., Prasadha, M. K., Pei, J., Ting, M. Y. L., Zhu, J., Li, C., Hewett, S., Dong, J., Ziyar, I., ... Zhang, K. (2018). Identifying medical diagnoses and treatable diseases by image-based deep learning. *Cell*, 172(5), 1122–1131.e9. <https://doi.org/10.1016/j.cell.2018.02.010>
4. De Fauw, J., Ledsam, J. R., Romera-Paredes, B., Nikolov, S., Tomasev, N., Blackwell, S., Askham, H., Glorot, X., O'Donoghue, B., Visentin, D., van den Driessche, G., Lakshminarayanan, V., Meyer, C., Mackinder, F., Bouton, S., Ayoub, K., Chopra, R., King, D., Karthikesalingam, A., ... Ronneberger, O. (2018). Clinically applicable deep learning for diagnosis and referral in retinal disease. *Nature Medicine*, 24, 1342–1350. <https://doi.org/10.1038/s41591-018-0107-6>
5. Liang, H., Tsui, B. Y., Ni, H., Valentim, C. C. S., Baxter, S. L., Liu, G., Cai, W., Kermany, D. S., Sun, X., Chen, J., He, L., Zhu, J., Tian, P., Shao, H., Wang, B., Yao, C., Zhang, S., Duan, Y., Gibson, S., ... Xia, H. (2019). Evaluation and accurate diagnoses of pediatric diseases using artificial intelligence. *Nature Medicine*, 25, 433–438. <https://doi.org/10.1038/s41591-018-0335-9>
6. Campanella, G., Hanna, M. G., Geneslaw, L., Miraflor, A., Silva, V. W. K., Busam, K. J., Brogi, E., Reuter, V. E., Klimstra, D. S., & Fuchs, T. J. (2019). Clinical-grade computational pathology using weakly supervised deep learning on whole slide images. *Nature Medicine*, 25, 1301–1309. <https://doi.org/10.1038/s41591-019-0508-1>
7. Topol, E. J. (2019). High-performance medicine: The convergence of human and artificial intelligence. *Nature Medicine*, 25, 44–56. <https://doi.org/10.1038/s41591-018-0300-7>
8. He, J., Baxter, S. L., Xu, J., Xu, J., Zhou, X., & Zhang, K. (2019). The practical implementation of artificial intelligence technologies in medicine. *Nature Medicine*, 25, 30–36. <https://doi.org/10.1038/s41591-018-0307-0>
9. Wiens, J., Saria, S., Sendak, M., Ghassemi, M., Liu, V. X., Doshi-Velez, F., Jung, K., Heller, K., Kale, D., Saeed, M., Ossorio, P. N., Thadaney-Israni, S., & Goldenberg, A. (2019). Do no harm: A roadmap for responsible machine learning for health care. *Nature Medicine*, 25, 1337–1340. <https://doi.org/10.1038/s41591-019-0548-6>
10. Esteva, A., Robicquet, A., Ramsundar, B., Kuleshov, V., DePristo, M., Chou, K., Cui, C., Corrado, G., Thrun, S., & Dean, J. (2019). A guide to deep learning in healthcare. *Nature Medicine*, 25, 24–29. <https://doi.org/10.1038/s41591-018-0316-z>
11. Rajkomar, A., Dean, J., & Kohane, I. (2019). Machine learning in medicine. *New England Journal of Medicine*, 380(14), 1347–1358. <https://doi.org/10.1056/NEJMr1814259>
12. Topol, E. J. (2018). The future of medicine is in artificial intelligence. *Nature Medicine*, 24, 44–46.

13. Yu, K.-H., Beam, A. L., & Kohane, I. S. (2018). Artificial intelligence in healthcare. *Nature Biomedical Engineering*, 2, 719–731. <https://doi.org/10.1038/s41551-018-0305-z>
14. Ting, D. S. W., Cheung, C. Y.-L., Lim, G., Tan, G. S. W., Quang, N. D., Gan, A., Hamzah, H., Garcia-Franco, R., San Yeo, I. Y., Lee, S. Y., Wong, E. Y. M., Sabanayagam, C., Baskaran, M., Ibrahim, F., Tan, N. C., Finkelstein, E. A., Lamoureux, E. L., Wong, I. Y., Bressler, N. M., ... Wong, T. Y. (2017). Development and validation of a deep learning system for diabetic retinopathy and related eye diseases using retinal images from multiethnic populations with diabetes. *JAMA*, 318(22), 2211–2223. <https://doi.org/10.1001/jama.2017.18152>
15. Miotto, R., Wang, F., Wang, S., Jiang, X., & Dudley, J. T. (2018). Deep learning for healthcare: Review, opportunities and challenges. *Briefings in Bioinformatics*, 19(6), 1236–1246. <https://doi.org/10.1093/bib/bbx044>
16. Deo, R. C. (2015). Machine learning in medicine. *Circulation*, 132(20), 1920–1930. <https://doi.org/10.1161/CIRCULATIONAHA.115.001593>
17. Obermeyer, Z., & Emanuel, E. J. (2016). Predicting the future—Big data, machine learning, and clinical medicine. *New England Journal of Medicine*, 375(13), 1216–1219. <https://doi.org/10.1056/NEJMp1606181>
18. Shickel, B., Tighe, P. J., Bihorac, A., & Rashidi, P. (2018). Deep EHR: A survey of recent advances in deep learning techniques for electronic health record analysis. *IEEE Journal of Biomedical and Health Informatics*, 22(5), 1589–1604. <https://doi.org/10.1109/JBHI.2017.2767063>
19. Mirbabaie, M., Stieglitz, S., & Frick, N. R. J. (2021). Artificial intelligence in disease diagnostics: A critical review and classification on the current state of research guiding future direction. *Health and Technology*, 11, 693–731. <https://doi.org/10.1007/s12553-021-00555-5>
20. Aggarwal, R., Sounderajah, V., Martin, G., Ting, D. S. W., Karthikesalingam, A., King, D., Ashrafian, H., & Darzi, A. (2021). Diagnostic accuracy of deep learning in medical imaging: A systematic review and meta-analysis. *npj Digital Medicine*, 4, Article 65. <https://doi.org/10.1038/s41746-021-00438-z>