

Smart Diagnostic Systems for Advanced Medical Applications

Prof. Mark Billingham

Professor, University of Canterbury, New Zealand

Abstract

Smart diagnostic systems are becoming an important component of advanced healthcare because they combine artificial intelligence, machine learning, medical imaging, biosensors, Internet of Medical Things technologies, electronic health information, and computational analytics to support disease detection and clinical decision-making. These systems can process complex medical information and identify patterns that may be difficult to recognize through conventional approaches alone. This study examines smart diagnostic systems for advanced medical applications through a conceptual and literature-based research design.

The study focuses on AI-enabled diagnostic systems, intelligent medical imaging, biosensor-based diagnosis, wearable diagnostic technologies, clinical decision-support systems, predictive analytics, remote diagnostics, and multimodal healthcare intelligence. Smart diagnostic systems can assist healthcare professionals in screening, early disease detection, risk prediction, image interpretation, patient monitoring, and diagnostic prioritization. The integration of multiple data sources may further support more comprehensive diagnostic assessment. However, successful implementation requires attention to diagnostic accuracy, clinical validation, data quality, interoperability, transparency, cybersecurity, privacy, regulatory compliance, and human oversight.

Recent evidence indicates that AI diagnostic performance can vary substantially according to model, clinical context, and expertise level, emphasizing the importance of rigorous validation rather than relying solely on algorithmic performance. The study concludes that smart diagnostic systems can contribute to faster, more consistent, and data-informed medical assessment when appropriately integrated with professional clinical judgment. Future research should focus on multimodal diagnostic intelligence, explainable AI, real-world clinical validation, personalized diagnostics, intelligent point-of-care systems, privacy-preserving analytics, and equitable access to advanced diagnostic technologies.

Keywords: Smart Diagnostics, Artificial Intelligence, Medical Diagnosis, Machine Learning, Medical Imaging, Clinical Decision Support, Biosensors, Predictive Analytics, Digital Healthcare, Healthcare Innovation.

1. Introduction

The rapid development of digital technologies has significantly changed the diagnostic landscape of modern healthcare. Conventional diagnostic processes increasingly interact with artificial intelligence, machine learning, advanced medical imaging, biosensors, electronic health records, wearable devices,

and computational analytics. These technologies can process large volumes of clinical information and provide analytical support to healthcare professionals. Smart diagnostic systems therefore represent an emerging approach for improving disease detection, clinical assessment, screening, monitoring, and healthcare decision-making.

Artificial intelligence has particular importance in smart diagnostics because machine learning algorithms can identify patterns within medical images, laboratory information, physiological measurements, and clinical records. Deep learning has demonstrated potential in several diagnostic applications, particularly where large volumes of structured or image-based data are available. AI can support clinicians by highlighting potentially abnormal findings, prioritizing cases, and providing decision-support information. However, AI should function as a clinical support mechanism rather than an automatic replacement for professional judgment.

Medical imaging is one of the major application areas for smart diagnostic systems. Intelligent image-analysis technologies can assist in interpreting radiological, pathological, ophthalmological, and other forms of medical imagery. Automated image analysis can potentially improve screening efficiency and support early identification of abnormalities. Recent research also demonstrates that diagnostic performance can depend on the clinical environment and implementation pathway, meaning that laboratory or benchmark performance does not necessarily guarantee equivalent real-world effectiveness.

Smart diagnostic technologies are also expanding through biosensors, wearable devices, remote monitoring, and Internet of Medical Things platforms. These technologies can collect physiological information and transmit it for computational analysis. Continuous or remote diagnostic approaches may support earlier recognition of changes in health status, particularly in chronic disease management and geographically dispersed healthcare environments. WHO recognizes AI, remote monitoring, IoT, and other digital technologies as potentially valuable components of modern health systems while emphasizing responsible and equitable implementation.

Despite these opportunities, smart diagnostic systems introduce significant challenges involving data quality, algorithmic bias, privacy, cybersecurity, interoperability, clinical validation, explainability, regulatory compliance, and professional acceptance. WHO guidance emphasizes that AI used in health should place ethics, human rights, safety, and accountability at the center of design and implementation. Therefore, smart diagnostic innovation requires a balanced framework that combines technological capability with clinical expertise, evidence-based validation, patient protection, and responsible governance.

2. Objectives of the Study

2.1 Primary Objective

The primary objective of this study is to examine smart diagnostic systems for advanced medical applications and evaluate how artificial intelligence, machine learning, medical imaging, biosensors, predictive analytics, clinical decision-support technologies, and connected healthcare systems can improve disease detection, diagnostic assessment, screening, monitoring, and clinical decision-making.

The study also aims to identify the technological, clinical, organizational, ethical, and regulatory requirements necessary for implementing reliable smart diagnostic systems. Particular attention is given

to diagnostic accuracy, data quality, explainability, interoperability, privacy, cybersecurity, clinical validation, usability, and human oversight. The study seeks to provide a structured conceptual understanding of smart diagnostics and their future role in healthcare.

2.2 Examination of Smart Diagnostic Technologies

The first objective is to examine major technologies supporting smart diagnostics, including artificial intelligence, machine learning, deep learning, medical imaging, biosensors, wearable devices, electronic health records, predictive analytics, and Internet of Medical Things platforms.

The objective further evaluates how these technologies can support disease screening, early detection, image interpretation, risk assessment, continuous monitoring, and clinical decision support. Emphasis is placed on the convergence of computational intelligence with medical science and diagnostic practice.

2.3 Assessment of Clinical Applications and Implementation Challenges

The second objective is to assess the application of smart diagnostic systems in medical imaging, disease screening, remote diagnostics, point-of-care testing, chronic disease monitoring, predictive healthcare, and clinical decision support.

The objective also identifies challenges associated with data privacy, cybersecurity, algorithmic bias, interoperability, clinical validation, regulatory requirements, usability, cost, and professional acceptance. Understanding these factors can support the development of safe, reliable, transparent, and patient-centered diagnostic systems.

3. Review of Literature

3.1 Artificial Intelligence in Medical Diagnosis

Artificial intelligence has become increasingly important in medical diagnosis because machine learning and deep learning can analyze complex clinical datasets. Esteva et al. (2019) described the potential of deep learning across healthcare applications, including medical image interpretation and disease classification. Rajkomar, Dean, and Kohane (2019) further emphasized the potential of machine learning to support clinical decision-making.

AI-based diagnostic systems can process large datasets more rapidly than conventional manual approaches in selected applications. However, clinical implementation requires representative datasets, rigorous external validation, appropriate reference standards, and continuous performance evaluation. Research on AI diagnostic reviews has identified methodological and reporting limitations, demonstrating the importance of robust quality assessment before clinical translation.

3.2 Intelligent Medical Imaging

Medical imaging represents one of the most advanced areas of AI-assisted diagnostics. Deep learning algorithms can be trained to identify patterns in radiology, pathology, ophthalmology, dermatology, and other imaging domains. Litjens et al. (2017) reviewed the use of deep learning in medical image analysis and highlighted its potential across multiple imaging applications.

Intelligent imaging systems may assist with screening, classification, segmentation, and prioritization. However, performance can be affected by variations in imaging equipment, patient populations, clinical environments, and disease prevalence. Therefore, successful deployment requires evaluation across diverse settings rather than reliance on a single dataset.

3.3 Smart Biosensors and Remote Diagnostics

Biosensors and wearable technologies provide opportunities for collecting physiological, biochemical, and behavioral information. Connected diagnostic systems can transmit information to digital platforms where algorithms may analyze patterns and generate alerts or decision-support information.

Remote diagnostics can be particularly useful for patients requiring continuous monitoring or those living far from specialized healthcare facilities. However, data reliability, device calibration, connectivity, cybersecurity, and clinical interpretation remain important considerations. Smart diagnostic systems should therefore combine technological monitoring with appropriate clinical oversight.

4. Research Methodology

4.1 Research Design

This study adopts a conceptual and literature-based research design to examine smart diagnostic systems for advanced medical applications. The study focuses on artificial intelligence, machine learning, medical imaging, biosensors, wearable technologies, predictive analytics, clinical decision-support systems, and connected diagnostic platforms.

A descriptive and analytical approach is used to synthesize existing scholarly knowledge regarding technological capabilities, medical applications, benefits, and implementation requirements. The study does not introduce fabricated patient datasets, clinical trials, diagnostic accuracy measurements, or experimental results. Instead, it develops a structured conceptual analysis based on established research and authoritative healthcare guidance.

4.2 Literature Collection and Organization

The literature was organized around major smart diagnostic themes, including AI-enabled diagnosis, medical imaging, clinical decision support, biosensors, wearable diagnostics, predictive analytics, remote diagnostics, and digital healthcare systems.

The literature was conceptually categorized according to diagnostic function, technology type, clinical application, patient interaction, implementation requirement, and healthcare contribution. Particular attention was given to early disease detection, diagnostic accuracy, clinical decision support, continuous monitoring, and personalized assessment. This organization supported comparative analysis of smart diagnostic technologies and their potential role in advanced healthcare.

4.3 Analytical Framework

The smart diagnostic framework evaluates advanced diagnostic systems through the following dimensions:

- **Data Acquisition:** Collection of clinical, imaging, physiological, laboratory, and patient-generated information.

- **Data Integration:** Combination of information from multiple medical and digital sources.
- **Intelligent Analysis:** Application of AI, machine learning, deep learning, and statistical analytics.
- **Pattern Recognition:** Identification of clinically relevant abnormalities and disease-related patterns.
- **Risk Prediction:** Estimation of potential disease risks and deterioration.
- **Clinical Decision Support:** Generation of analytical information for healthcare professionals.
- **Diagnostic Validation:** Evaluation of system performance against appropriate clinical reference standards.
- **Human Oversight:** Professional review and interpretation of algorithmic outputs.
- **Privacy and Security:** Protection of sensitive patient and diagnostic information.
- **Clinical Integration:** Incorporation of diagnostic technologies into real healthcare workflows.

4.4 Data Analysis Approach

A thematic analytical approach was used to examine literature concerning smart diagnostic technologies and advanced medical applications. The analysis focused on diagnostic technologies, healthcare functions, clinical benefits, implementation requirements, and associated risks.

The identified themes were organized into technological, clinical, ethical, regulatory, organizational, and patient-centered dimensions. Comparative interpretation was used to evaluate the role of intelligent systems in disease detection, screening, monitoring, image interpretation, and clinical decision support. Particular attention was given to diagnostic reliability, transparency, interoperability, data quality, cybersecurity, and human oversight.

5. Analysis

5.1 Major Smart Diagnostic Technologies

Smart diagnostic systems combine multiple technologies to support different stages of medical assessment. Artificial intelligence and machine learning provide analytical capabilities, while medical imaging systems generate detailed diagnostic information. Biosensors and wearable technologies enable physiological monitoring, and electronic health records provide longitudinal clinical information.

Predictive analytics can identify potential risks, while clinical decision-support systems help healthcare professionals interpret complex information. Table 1 summarizes major smart diagnostic technologies and their medical applications.

Table 1: Smart Diagnostic Technologies and Medical Applications

Smart Diagnostic Technology	Core Function	Medical Application
Artificial Intelligence	Intelligent data analysis	Disease detection
Machine Learning	Pattern recognition	Risk classification
Deep Learning	Complex feature extraction	Medical image analysis
Medical Imaging AI	Automated image interpretation	Screening and diagnosis

Smart Diagnostic Technology	Core Function	Medical Application
Biosensors	Physiological/biochemical sensing	Point-of-care diagnosis
Wearable Diagnostics	Continuous monitoring	Health assessment
Predictive Analytics	Risk estimation	Early disease detection
Clinical Decision Support	Decision assistance	Diagnostic support
Electronic Health Records	Clinical information integration	Longitudinal assessment
IoMT Platforms	Connected medical data	Remote diagnostics

Interpretation: demonstrates that smart diagnostic technologies perform complementary functions across medical assessment. Artificial intelligence and machine learning support data analysis and classification, while deep learning is particularly useful for complex pattern recognition. Medical imaging AI can assist screening and diagnostic interpretation, whereas biosensors enable physiological and biochemical assessment.

Wearable technologies support continuous monitoring, and predictive analytics can assist risk estimation. Clinical decision-support systems provide analytical assistance to healthcare professionals. Electronic health records contribute longitudinal information, while IoMT platforms connect diagnostic information across healthcare environments. Together, these technologies create an integrated foundation for intelligent diagnostic healthcare.

5.2 Applications of Smart Diagnostic Systems

Smart diagnostic systems can support healthcare across screening, diagnosis, monitoring, risk assessment, and remote care. AI-based imaging can assist in detecting abnormalities, while predictive systems can identify individuals requiring additional assessment. Biosensors can support point-of-care testing, and connected wearable technologies can facilitate continuous health observation. presents major medical applications of smart diagnostic systems and their potential contributions.

Table 2: Medical Applications of Smart Diagnostic Systems

Medical Application	Smart Diagnostic Approach	Potential Contribution
Disease Screening	AI-based screening	Earlier identification
Medical Imaging	Deep learning	Image interpretation
Cancer Detection	AI and image analytics	Diagnostic support
Cardiovascular Assessment	Biosensors and predictive analytics	Risk assessment


Medical Application	Smart Diagnostic Approach	Potential Contribution
Diabetes Monitoring	Wearable and connected sensors	Continuous monitoring
Neurological Assessment	AI and clinical data	Pattern recognition
Infectious Disease Detection	Intelligent diagnostics	Rapid assessment
Remote Diagnosis	Telemedicine and AI	Healthcare accessibility
Point-of-Care Testing	Smart biosensors	Rapid information
Clinical Decision Support	Predictive models	Decision assistance


Interpretation: indicates that smart diagnostic systems have applications across diverse areas of healthcare. AI-based screening can support earlier identification of disease, while deep learning can assist medical image interpretation. AI and imaging analytics may contribute to cancer detection, and biosensors combined with predictive analytics can support cardiovascular risk assessment.

Wearable systems can facilitate diabetes monitoring, while intelligent analysis may assist neurological assessment. Smart diagnostic technologies can also support infectious disease assessment, remote diagnosis, and point-of-care testing. Clinical decision-support systems provide an additional analytical layer that can assist professionals in interpreting complex diagnostic information.

5.3 Smart Diagnostic System Framework

Figure 1: Integrated Framework for Smart Diagnostic Systems





Interpretation: The framework illustrates how smart diagnostic systems transform patient information into clinically useful decision-support information. Data may originate from symptoms, medical histories, electronic records, imaging, laboratory tests, biosensors, and wearable devices. These sources are integrated through connected healthcare platforms and analyzed using AI, machine learning, deep learning, and predictive models.

The resulting outputs may support detection, classification, risk prediction, alerts, and prioritization. Human clinical oversight remains essential for interpreting and validating outputs. The overall objective is to improve early detection, diagnostic precision, accessibility, continuity, safety, and evidence-informed healthcare decision-making.

6. Discussion

6.1 Diagnostic Intelligence and Early Disease Detection

Smart diagnostic systems can improve the ability of healthcare organizations to process large volumes of clinical information and identify potentially significant patterns. AI-based systems can support screening and prioritization, particularly when healthcare professionals must evaluate large numbers of images, records, or diagnostic measurements.

Early disease detection may improve opportunities for timely intervention, but algorithmic outputs must be interpreted in their clinical context. A model that performs well in one population may not perform similarly in another. Recent research comparing generative AI with physicians found substantial variation in diagnostic performance and noted that expert physicians remained superior overall in the reviewed evidence. Therefore, smart diagnostics should augment clinical expertise rather than operate as an uncontrolled substitute.

6.2 Multimodal Data and Personalized Diagnostics

Future smart diagnostic systems are increasingly expected to integrate multiple forms of healthcare information, including medical images, laboratory results, electronic records, physiological signals, and patient-generated data. Multimodal systems can potentially provide more comprehensive diagnostic assessments than systems based on a single data source.

Emerging multimodal AI systems combine heterogeneous clinical data with foundation models and tool-based workflows, although their translational readiness remains an active research area. Personalized diagnostics may benefit from this integration by considering individual patient characteristics and longitudinal information. However, multimodal systems require careful validation because errors in one data source may influence the overall diagnostic output.

6.3 Transparency, Trust, and Clinical Integration

Clinical adoption of smart diagnostic systems depends substantially on trust. Healthcare professionals need to understand the limitations and appropriate use of algorithmic outputs, while patients require confidence that their information is secure and that automated systems are being used responsibly. Recent literature emphasizes transparency in the design, operation, and outcomes of medical AI systems as an important component of trust.

Clinical integration should therefore include appropriate training, monitoring, documentation, and human oversight. Smart diagnostic technologies should be incorporated into established clinical workflows rather than implemented as isolated technological tools. This approach can strengthen both professional acceptance and patient safety.

7. Challenges

7.1 Diagnostic Accuracy and Clinical Validation

One of the major challenges associated with smart diagnostic systems is ensuring reliable diagnostic performance across different populations and clinical environments. High performance on a development dataset does not necessarily indicate equivalent performance in routine healthcare settings.

Differences in patient characteristics, equipment, disease prevalence, data quality, and clinical workflows can influence system outcomes.

Robust validation should therefore include representative datasets, external testing, appropriate reference standards, and evaluation across relevant healthcare environments. Continuous monitoring may also be necessary after deployment because changes in clinical practice or patient populations can affect model performance. Strong validation frameworks are essential for reducing diagnostic errors and protecting patient safety.

7.2 Data Privacy and Cybersecurity

Smart diagnostic systems require access to sensitive medical information, including imaging, laboratory data, patient histories, physiological measurements, and genetic or biometric information. Large-scale data integration increases the importance of privacy and cybersecurity.

Unauthorized access, data breaches, malicious manipulation, or inappropriate data use can create serious risks. Secure authentication, encryption, access management, monitoring, and appropriate governance mechanisms are therefore essential. WHO emphasizes the need for safe, ethical, and equitable AI implementation in healthcare, including appropriate governance and regulation. Patient information should be protected throughout collection, transmission, processing, storage, and eventual disposal.

7.3 Algorithmic Bias and Generalizability

Diagnostic algorithms may inherit biases from the datasets used for development. If certain demographic, geographic, socioeconomic, or clinical groups are underrepresented, system performance may be less reliable for those populations.

Generalizability should therefore be treated as an essential component of diagnostic evaluation. Diverse datasets, subgroup performance analysis, external validation, and continuous monitoring can help identify potential disparities. Researchers should also document dataset characteristics and limitations. Fairness should not be considered only an ethical requirement; it is also important for ensuring clinically reliable diagnostic performance across different patient populations.

7.4 Interoperability and Regulatory Requirements

Smart diagnostic technologies often need to interact with electronic health records, imaging systems, laboratory information systems, medical devices, and other digital platforms. Lack of interoperability can restrict information exchange and create fragmented diagnostic workflows.

Regulatory requirements also become increasingly important as AI-enabled diagnostic systems influence clinical decisions. WHO has identified risk-benefit assessment, performance evaluation, and monitoring as important considerations for AI health technologies.

8. Future Research

Future research should focus on multimodal smart diagnostic systems that integrate medical imaging, laboratory information, electronic health records, physiological signals, wearable data, and patient-generated information. Such systems could provide more comprehensive diagnostic assessments and

support personalized healthcare. Research should investigate reliable data-fusion techniques and determine how different information sources can be integrated while maintaining accuracy, privacy, and clinical interpretability.

Further research should examine explainable AI, federated learning, privacy-preserving diagnostics, intelligent point-of-care systems, autonomous screening technologies, digital biomarkers, and AI-enabled remote diagnostics. Special attention should be given to real-world clinical validation rather than relying primarily on retrospective datasets. Research should also investigate how smart diagnostic systems can operate effectively in resource-limited environments where infrastructure, connectivity, and specialist availability may be constrained.

Future empirical studies should evaluate diagnostic performance, patient outcomes, clinician acceptance, usability, cost-effectiveness, workflow impact, and equity. Longitudinal research is particularly important for determining whether smart diagnostic technologies maintain performance after implementation. Future studies should also examine governance models that provide continuous monitoring, accountability, transparency, and human oversight. Such research can support the responsible development of diagnostic technologies that improve healthcare without compromising patient safety or trust.

9. Conclusion

Smart diagnostic systems represent an important direction in advanced medical technology because they combine artificial intelligence, machine learning, medical imaging, biosensors, predictive analytics, electronic health records, and connected healthcare systems. These technologies can support disease screening, early detection, diagnostic interpretation, risk prediction, continuous monitoring, remote diagnostics, and clinical decision-making.

The analysis demonstrates that smart diagnostic technologies can contribute across multiple areas of healthcare. AI and deep learning can assist in identifying patterns within complex medical information, while intelligent imaging can support diagnostic interpretation. Biosensors and wearable technologies can enable continuous health assessment, and predictive analytics can provide risk-related information. Clinical decision-support systems can further assist healthcare professionals in interpreting complex diagnostic information.

However, the successful adoption of smart diagnostics depends on more than technological performance. Diagnostic accuracy, clinical validation, data quality, interoperability, cybersecurity, privacy, transparency, algorithmic fairness, regulatory compliance, and professional acceptance are critical considerations. Current evidence reinforces the need to evaluate AI systems in appropriate clinical contexts and to maintain human oversight.

Overall, smart diagnostic systems should be developed as human-centered clinical technologies that augment professional expertise. Responsible governance, rigorous validation, secure data management, and transparent implementation can strengthen trust and safety. Future developments in multimodal AI, explainable diagnostics, intelligent biosensing, personalized assessment, and remote diagnostic technologies may further contribute to accessible, precise, and sustainable healthcare systems.

References

1. Aggarwal, R., Sounderajah, V., Martin, G., Ting, D. S. W., Karthikesalingam, A., King, D., Ashrafian, H., & Darzi, A. (2021). Diagnostic accuracy of deep learning in medical imaging: A systematic review and meta-analysis. *npj Digital Medicine*, 4, 65. <https://doi.org/10.1038/s41746-021-00438-z>
2. Campanella, G., Hanna, M. G., Geneslaw, L., Miraflor, A., Silva, V. W. K., Busam, K. J., Brogi, E., Reuter, V. E., Klimstra, D. S., & Fuchs, T. J. (2019). Clinical-grade computational pathology using weakly supervised deep learning on whole slide images. *Nature Medicine*, 25, 1301–1309. <https://doi.org/10.1038/s41591-019-0508-1>
3. Chilamkurthy, S., Ghosh, R., Tanamala, S., Biviji, M., Campeau, N. G., Venugopal, V. K., Mahajan, V., Rao, P., & Warier, P. (2018). Deep learning algorithms for detection of critical findings in head CT scans: A retrospective study. *The Lancet*, 392(10162), 2388–2396. [https://doi.org/10.1016/S0140-6736\(18\)31645-3](https://doi.org/10.1016/S0140-6736(18)31645-3)
4. De Fauw, J., Ledsam, J. R., Romera-Paredes, B., Nikolov, S., Tomasev, N., Blackwell, S., Askham, H., Glorot, X., O'Donoghue, B., Visentin, D., van den Driessche, G., Lakshminarayanan, V., Meyer, C., Mackinder, F., Bouton, S., Ayoub, K., Chopra, R., King, D., Karthikesalingam, A., ... Ronneberger, O. (2018). Clinically applicable deep learning for diagnosis and referral in retinal disease. *Nature Medicine*, 24, 1342–1350. <https://doi.org/10.1038/s41591-018-0107-6>
5. Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Dermatologist-level classification of skin cancer with deep neural networks. *Nature*, 542, 115–118. <https://doi.org/10.1038/nature21056>
6. Esteva, A., Robicquet, A., Ramsundar, B., Kuleshov, V., DePristo, M., Chou, K., Cui, C., Corrado, G., Thrun, S., & Dean, J. (2019). A guide to deep learning in healthcare. *Nature Medicine*, 25, 24–29. <https://doi.org/10.1038/s41591-018-0316-z>
7. Gao, J., Jiang, Q., Zhou, B., & Chen, D. (2019). Convolutional neural networks for computer-aided detection or diagnosis in medical image analysis: An overview. *Mathematical Biosciences and Engineering*, 16(6), 6536–6561. <https://doi.org/10.3934/mbe.2019326>
8. Gulshan, V., Peng, L., Coram, M., Stumpe, M. C., Wu, D., Narayanaswamy, A., Venugopalan, S., Widner, K., Madams, T., Cuadros, J., Kim, R., Raman, R., Nelson, P. C., Mega, J. L., & Webster, D. R. (2016). Development and validation of a deep learning algorithm for detection of diabetic retinopathy in retinal fundus photographs. *JAMA*, 316(22), 2402–2410. <https://doi.org/10.1001/jama.2016.17216>
9. He, J., Baxter, S. L., Xu, J., Xu, J., Zhou, X., & Zhang, K. (2019). The practical implementation of artificial intelligence technologies in medicine. *Nature Medicine*, 25, 30–36. <https://doi.org/10.1038/s41591-018-0307-0>
10. Kermany, D. S., Goldbaum, M., Cai, W., Valentim, C. C. S., Liang, H., Baxter, S. L., McKeown, A., Yang, G., Wu, X., Yan, F., Dong, J., Prasadha, M. K., Pei, J., Ting, M. Y. L., Zhu, J., Li, C., Hewett, S., Dong, J., Ziyar, I., ... Zhang, K. (2018). Identifying medical diagnoses and treatable diseases by image-based deep learning. *Cell*, 172(5), 1122–1131.e9. <https://doi.org/10.1016/j.cell.2018.02.010>
11. Kim, M., Yun, J., Cho, Y., Shin, K., Jang, R., Bae, H.-J., & Kim, N. (2019). Deep learning in medical imaging. *Neurospine*, 16(4), 657–668. <https://doi.org/10.14245/ns.1938396.198>
12. Langlotz, C. P., Allen, B., Erickson, B. J., Kalpathy-Cramer, J., Bigelow, K., Cook, T. S., Flanders, A. E., Lungren, M. P., Mendelson, D. S., Rudie, J. D., Wang, G., & Kandarpa, K. (2019). A roadmap for foundational research on artificial intelligence in medical imaging. *Radiology*, 291(3), 781–791. <https://doi.org/10.1148/radiol.2019190613>

13. Miotto, R., Wang, F., Wang, S., Jiang, X., & Dudley, J. T. (2018). Deep learning for healthcare: Review, opportunities and challenges. *Briefings in Bioinformatics*, 19(6), 1236–1246. <https://doi.org/10.1093/bib/bbx044>
14. Rajkomar, A., Dean, J., & Kohane, I. (2019). Machine learning in medicine. *New England Journal of Medicine*, 380(14), 1347–1358. <https://doi.org/10.1056/NEJMr1814259>
15. Sahiner, B., Pezeshk, A., Hadjiiski, L. M., Wang, X., Drukker, K., Cha, K. H., Summers, R. M., & Giger, M. L. (2019). Deep learning in medical imaging and radiation therapy. *Medical Physics*, 46(1), e1–e36. <https://doi.org/10.1002/mp.13264>
16. Shaikh, F., et al. (2021). Artificial intelligence-based clinical decision support systems using advanced medical imaging and radiomics. *Current Problems in Diagnostic Radiology*.
17. Sutton, R. T., Pincock, D., Baumgart, D. C., Sadowski, D. C., Fedorak, R. N., & Kroeker, K. I. (2020). An overview of clinical decision support systems: Benefits, risks, and strategies for success. *npj Digital Medicine*, 3, 17. <https://doi.org/10.1038/s41746-020-0221-y>
18. Topol, E. J. (2019). High-performance medicine: The convergence of human and artificial intelligence. *Nature Medicine*, 25, 44–56. <https://doi.org/10.1038/s41591-018-0300-7>
19. Ueda, D., Shimazaki, A., & Miki, Y. (2019). Technical and clinical overview of deep learning in radiology. *Japanese Journal of Radiology*, 37(1), 15–33. <https://doi.org/10.1007/s11604-018-0795-3>
20. Vasey, B., Ursprung, S., Beddoe, B., Taylor, E. H., Marlow, N., Bilbro, N., Watkinson, P., & McCulloch, P. (2021). Association of clinician diagnostic performance with machine learning-based decision support systems: A systematic review. *JAMA Network Open*, 4(3), e211276. <https://doi.org/10.1001/jamanetworkopen.2021.1276>