

Advanced Environmental Monitoring Using Internet of Things

Marek Špinka

Professor, Slovak University of Technology in Bratislava, Slovakia

Abstract

The increasing complexity of environmental challenges has created a need for monitoring systems capable of providing accurate, continuous, and geographically distributed information. Conventional environmental monitoring approaches often depend on periodic observations, laboratory analysis, and manually collected measurements, which can limit the speed of environmental response. The Internet of Things (IoT) provides an advanced technological framework for environmental monitoring by connecting sensors, communication networks, cloud platforms, edge-computing systems, and analytical applications. This study examines advanced environmental monitoring using IoT, with emphasis on real-time sensing, environmental data acquisition, intelligent analytics, remote monitoring, automated alerts, and resource-management applications. A qualitative descriptive and conceptual research design was adopted using secondary academic literature. The analysis examines IoT applications in air-quality monitoring, water-quality assessment, soil monitoring, waste management, biodiversity observation, weather monitoring, and smart environmental management.

IoT sensors can continuously collect environmental information and transmit data to centralized or distributed platforms for analysis. Artificial intelligence and machine-learning techniques can further support anomaly detection, prediction, environmental risk assessment, and automated decision-making. However, IoT-based environmental monitoring faces challenges involving sensor accuracy, connectivity, energy consumption, data security, interoperability, maintenance, infrastructure costs, and large-scale data management. The study emphasizes integrated IoT monitoring models that combine sensing, communication, edge and cloud computing, analytics, visualization, and automated environmental response. Future research should investigate energy-efficient sensors, intelligent edge analytics, AI-enabled environmental prediction, low-power communication networks, autonomous monitoring systems, interoperability standards, and scalable IoT architectures for environmental protection. Such developments can strengthen environmental observation and provide timely information for sustainable environmental management.

Keywords: Internet of Things, Environmental Monitoring, Smart Sensors, Environmental Data, IoT Analytics, Air Quality, Water Quality, Remote Monitoring, Artificial Intelligence, Sustainable Environmental Management

1. Introduction

Environmental monitoring is essential for understanding changes in ecosystems, detecting pollution, assessing natural resources, and supporting environmental decision-making. Rapid urbanization, industrial development, agricultural expansion, climate variability, and increasing resource consumption have intensified the need for reliable environmental information. Traditional monitoring methods often involve periodic sampling, laboratory testing, manual observations, and geographically limited measurement stations. Although these methods remain important, they may not provide the continuous and real-time information required for rapidly changing environmental conditions.

The Internet of Things has introduced new opportunities for environmental monitoring through interconnected sensors and communication technologies. IoT-enabled sensors can measure environmental variables such as temperature, humidity, particulate matter, gases, water quality, soil moisture, noise, radiation, and weather conditions. These devices can transmit measurements through wireless networks to cloud or edge-computing platforms, where information can be stored, processed, visualized, and analyzed.

The integration of IoT with artificial intelligence and data analytics can further strengthen environmental monitoring. Machine-learning algorithms can identify abnormal environmental patterns, predict pollution levels, classify environmental conditions, and support early-warning systems. Edge computing can process selected information closer to the sensing location, potentially reducing communication requirements and response delays. These capabilities can transform environmental monitoring from periodic observation toward continuous and intelligent environmental management.

IoT-based environmental monitoring has applications across multiple domains. Smart air-quality systems can monitor pollutants in urban environments, while water-quality sensors can identify changes in temperature, pH, turbidity, dissolved oxygen, and other indicators. Agricultural IoT systems can monitor soil conditions, while smart waste-management systems can monitor collection requirements. IoT platforms can also support biodiversity monitoring, weather observation, forest management, and environmental hazard detection.

Despite these advantages, implementation involves technical, financial, and organizational challenges. Sensor calibration, measurement accuracy, network connectivity, power requirements, cybersecurity, interoperability, data management, and maintenance can affect system reliability. This study examines advanced environmental monitoring using IoT, focusing on technological architecture, environmental applications, intelligent analytics, resource monitoring, implementation challenges, and future development opportunities.

2. Objectives of the Study

2.1 Examination of IoT-Based Environmental Monitoring Technologies

The first objective is to examine major IoT technologies used for advanced environmental monitoring, including smart sensors, wireless communication networks, edge computing, cloud platforms, geographic information systems, and digital monitoring dashboards. The study investigates how these technologies support continuous environmental data collection and transmission. Particular attention is given to sensor-enabled monitoring of air, water, soil, weather, waste, ecosystems, and other environmental variables across urban, rural, industrial, and natural environments.

The study also aims to examine the integration of IoT with artificial intelligence, machine learning, data analytics, and automated alert systems. Such integration can transform raw sensor measurements into actionable environmental information. The objective considers how intelligent analytical systems can detect anomalies, identify environmental patterns, predict potential risks, and support timely responses. It further examines the role of edge and cloud computing in processing large volumes of environmental data generated by distributed IoT devices.

2.2 Assessment of Environmental Monitoring Applications

The second objective is to assess the applications of IoT technologies across major environmental monitoring domains. The study examines air-quality monitoring, water-quality assessment, soil observation, waste-management monitoring, weather observation, biodiversity protection, agricultural environments, and urban environmental management. It considers how continuous sensor measurements can improve environmental visibility and provide more timely information than periodic observation approaches in situations requiring frequent or real-time monitoring.

The study further evaluates how IoT-generated environmental information can support environmental decision-making and resource management. Attention is given to automated alerts, pollution detection, environmental risk assessment, predictive monitoring, and data-supported intervention. The objective also considers how IoT platforms can facilitate the integration of environmental observations from multiple locations. Such integration can support broader environmental assessments and improve coordination between monitoring systems, environmental organizations, researchers, and decision-makers.

2.3 Identification of Implementation Challenges

The third objective is to identify the technical, financial, operational, and data-related challenges associated with implementing IoT-based environmental monitoring systems. The study examines sensor accuracy, calibration, connectivity, power consumption, device durability, network reliability, cybersecurity, interoperability, maintenance, and data storage. These challenges can influence the reliability and scalability of IoT monitoring systems, particularly when devices are deployed across remote, harsh, or geographically extensive environmental settings.

The study also aims to examine strategies for improving the reliability and sustainability of IoT environmental monitoring. Particular attention is given to low-power sensor technologies, renewable energy for remote devices, standardized communication protocols, edge computing, secure data architectures, automated calibration, predictive maintenance, and centralized data management. Understanding these requirements can support the development of scalable monitoring systems that maintain measurement quality while controlling operational costs and technological complexity.

3. Review of Literature

3.1 Internet of Things and Environmental Monitoring

Gubbi et al. (2013) examined the Internet of Things as an emerging framework involving sensing, connectivity, cloud computing, and intelligent services. Their work emphasized the ability of connected devices to collect and communicate information from physical environments. This architecture provides

a foundation for environmental monitoring because distributed sensors can continuously observe environmental conditions and transmit measurements to analytical platforms. The literature indicates that IoT can connect physical environmental processes with digital systems, creating opportunities for automated observation and data-supported environmental management.

Ray (2016) reviewed IoT applications and identified environmental monitoring as an important area in which connected sensing technologies can provide continuous information. IoT devices can monitor environmental parameters and support remote observation through communication networks. The literature emphasizes that IoT architectures generally involve sensing, connectivity, processing, and application layers. Effective environmental monitoring therefore requires coordination among these components. Reliable sensors, communication infrastructure, data processing, and appropriate user interfaces are necessary for converting environmental measurements into useful information.

3.2 Smart Sensors and Environmental Data Collection

Kelly et al. (2019) examined air-quality monitoring using low-cost sensors and highlighted their potential for expanding the spatial and temporal coverage of environmental observations. Distributed sensing systems can complement conventional monitoring stations by providing measurements at more locations and potentially at higher frequencies. However, sensor calibration, environmental interference, accuracy, and data quality remain important considerations. The literature therefore suggests that low-cost IoT sensing can strengthen environmental monitoring when sensor performance is appropriately evaluated and measurements are interpreted within suitable technical frameworks.

Hart and Martinez (2006) examined environmental sensor networks and described their potential for distributed environmental observation. Wireless sensor networks can support monitoring across geographically dispersed locations while reducing the need for continuous manual measurement. The literature highlights applications in ecological observation, environmental condition assessment, and resource monitoring. At the same time, sensor networks face challenges involving energy supply, communication range, environmental exposure, network reliability, and maintenance. These factors remain relevant to contemporary IoT-based environmental monitoring architectures.

3.3 Intelligent IoT Analytics and Environmental Prediction

Shi et al. (2016) examined edge computing and highlighted its potential for processing data closer to the location where information is generated. Edge computing can be valuable for environmental monitoring because IoT systems may produce continuous streams of sensor data. Local processing can reduce communication requirements and enable faster responses to environmental events. The literature suggests that combining edge computing with IoT can improve responsiveness and scalability, although distributed processing introduces additional requirements for device management, security, and computational capabilities.

Rolnick et al. (2019) examined applications of machine learning to environmental and climate-related challenges. Their work identified opportunities for using computational models in environmental monitoring, prediction, energy systems, transportation, and climate analysis. Machine learning can process large environmental datasets and identify complex relationships or anomalies. When integrated with IoT systems, such approaches can support predictive environmental monitoring. However, model

performance depends on data quality, appropriate training, validation, computational resources, and the environmental context in which the system is deployed.

4. Research Methodology

4.1 Research Design

This study adopted a qualitative descriptive and conceptual research design to examine advanced environmental monitoring using Internet of Things technologies. The research focused on technological architectures, sensing systems, communication mechanisms, analytical tools, environmental applications, and implementation challenges.

The conceptual approach examined relationships among IoT sensing, environmental data acquisition, intelligent analytics, real-time monitoring, environmental decision-making, and sustainable environmental management.

4.2 Data Collection

Secondary information was collected from peer-reviewed journal articles, academic books, scholarly studies, and established research literature concerning IoT and environmental monitoring.

The literature focused on:

- Internet of Things.
- Environmental sensor networks.
- Smart sensors.
- Air-quality monitoring.
- Water-quality monitoring.
- Soil monitoring.
- Waste management.
- Weather monitoring.
- Remote sensing.
- Edge computing.
- Cloud computing.
- Artificial intelligence.
- Machine learning.
- Environmental data analytics.
- Smart environmental systems.

4.3 Data Analysis

The collected literature was analyzed through thematic analysis. Major themes included IoT architecture, sensor-based environmental monitoring, real-time data acquisition, intelligent analytics, environmental prediction, resource management, and automated environmental response.

The analysis also examined implementation challenges involving sensor accuracy, network connectivity, energy consumption, cybersecurity, interoperability, maintenance, infrastructure requirements, and large-scale data management.

5. Analysis

5.1 IoT Technologies for Environmental Monitoring

IoT-based environmental monitoring combines sensing devices, communication networks, computing infrastructure, and analytical platforms. Smart sensors collect environmental information, communication systems transmit measurements, and cloud or edge platforms process the resulting data. Dashboards and automated alert systems can present information to users and support rapid environmental responses.

Table 1: IoT Technologies and Environmental Applications

IoT Technology	Environmental Application	Primary Function
Smart Sensors	Air monitoring	Pollution measurement
Water Sensors	Water monitoring	Quality assessment
Soil Sensors	Agriculture	Moisture monitoring
Weather Sensors	Climate observation	Weather measurement
GPS Devices	Environmental mapping	Location identification
Edge Computing	Real-time monitoring	Local processing
Cloud Platforms	Data management	Centralized analysis
IoT Gateways	Sensor networks	Data transmission
AI Analytics	Environmental prediction	Pattern identification
Digital Dashboards	Environmental management	Data visualization

The integration of these technologies allows environmental information to move from physical sensing environments into digital analytical systems. Edge computing can support rapid processing, while cloud platforms provide storage and broader analytical capabilities.

AI can identify patterns within large datasets, and dashboards can make information accessible to environmental managers. This architecture provides a technological foundation for continuous environmental observation across multiple geographical and environmental contexts.

5.2 IoT Applications in Environmental Management

IoT monitoring can be applied to diverse environmental domains. In urban areas, distributed sensors can measure air pollution, noise, temperature, and other environmental conditions. Water-monitoring systems can measure physical and chemical parameters, while agricultural IoT systems can monitor soil and weather conditions. Smart waste systems can provide information about waste levels and collection requirements.

Table 2: Environmental Applications of IoT

Environmental Domain	IoT Application	Monitoring Variables
Air Quality	Smart air sensors	PM, gases, temperature
Water Quality	Water sensors	pH, turbidity, oxygen
Soil	Agricultural IoT	Moisture, temperature
Waste	Smart bins	Waste level
Weather	Sensor stations	Temperature, humidity
Forests	Remote IoT systems	Environmental conditions
Biodiversity	Connected sensors	Species activity
Noise	Acoustic sensors	Sound levels
Agriculture	Smart farming	Soil and crop conditions
Urban Areas	Smart-city sensors	Multiple indicators

The applications demonstrate that IoT can provide continuous environmental information across both natural and built environments. Distributed monitoring can improve spatial coverage and provide more frequent observations. However, environmental applications have different sensing requirements, environmental conditions, and accuracy standards.

System design should therefore be adapted to the specific monitoring context, including sensor selection, calibration, communication requirements, energy supply, and data-analysis methods.

5.3 Intelligent Environmental Data Analytics

IoT environmental monitoring generates substantial quantities of data that require appropriate analytical systems. AI and machine learning can identify patterns, detect anomalies, classify environmental conditions, and support prediction.

Edge computing can process selected information locally, while cloud platforms can support large-scale data storage and analysis.

Table 3: Environmental Data Analytics

Analytical Approach	Function	Environmental Use
Descriptive Analytics	Summarization	Environmental reporting
Anomaly Detection	Identify unusual values	Pollution alerts
Machine Learning	Pattern recognition	Environmental prediction

Analytical Approach	Function	Environmental Use
Time-Series Analysis	Trend analysis	Pollution forecasting
Spatial Analytics	Geographic analysis	Environmental mapping
Classification	Categorization	Environmental conditions
Predictive Analytics	Future estimation	Risk assessment
Edge Analytics	Local processing	Rapid response
Data Visualization	Information presentation	Monitoring dashboards
Automated Alerts	Immediate notification	Environmental incidents

Intelligent analytics can transform sensor measurements into information useful for environmental management. Predictive models can support early warning, while anomaly detection can identify unusual environmental conditions. Spatial analysis can reveal geographic patterns that may not be visible from isolated measurements.

However, analytical accuracy depends on sensor quality, data completeness, model selection, validation, and contextual interpretation. Environmental decision-making should therefore combine automated analytics with appropriate domain expertise.

6. Discussion

6.1 Real-Time Monitoring and Environmental Decision-Making

IoT enables environmental monitoring systems to collect measurements continuously rather than relying exclusively on periodic observations. Real-time information can help identify environmental changes more quickly and support timely responses to pollution events, abnormal water conditions, extreme weather, or other environmental disturbances. Continuous monitoring can also provide historical datasets that support trend analysis and long-term environmental assessment.

The value of real-time monitoring depends on the quality and usability of collected information. Environmental organizations require appropriate dashboards, analytical tools, alerts, and decision-support mechanisms to transform sensor measurements into practical action. Data should be filtered, validated, and interpreted before being used for important environmental decisions. Combining automated monitoring with expert evaluation can strengthen the reliability of IoT-enabled environmental management.

6.2 IoT, Artificial Intelligence, and Predictive Monitoring

The combination of IoT and artificial intelligence creates opportunities for predictive environmental monitoring. Continuous sensor streams can provide datasets for machine-learning models that identify environmental patterns and estimate future conditions. Predictive models can support pollution forecasting, environmental risk assessment, water-quality prediction, and early-warning systems. Such

approaches can shift environmental management from reactive observation toward more proactive planning.

AI-based environmental monitoring requires reliable data and appropriate model development. Sensor errors, missing observations, inconsistent measurements, and changes in environmental conditions can affect predictive performance. Models should therefore be regularly evaluated and updated as new data become available. Explainable analytical approaches can also help environmental managers understand why particular alerts or predictions are generated, improving the practical use of intelligent monitoring systems.

6.3 Scalable IoT Infrastructure for Environmental Protection

Large-scale environmental monitoring requires IoT systems capable of supporting numerous distributed sensors. Cloud computing can provide centralized storage and analytics, while edge computing can reduce communication requirements and support localized processing. Low-power communication technologies and energy-efficient sensors can facilitate deployment in remote environments where conventional electricity infrastructure may be unavailable.

Scalability also requires interoperability and standardized data structures. Environmental monitoring may involve sensors from different manufacturers, communication protocols, platforms, and analytical systems. Without interoperability, organizations may experience fragmented data environments and increased integration costs. Standardized architectures, secure communication, modular system design, and centralized data-management policies can improve the scalability and long-term maintainability of IoT environmental monitoring infrastructure.

7. Challenges

7.1 Sensor Accuracy and Technical Reliability

Sensor accuracy represents a fundamental challenge for IoT-based environmental monitoring. Environmental sensors can be affected by temperature, humidity, contamination, physical degradation, calibration errors, and other environmental conditions. Low-cost sensors may provide valuable monitoring coverage but can require appropriate calibration and validation before measurements are used for formal environmental assessment.

Technical reliability can also be affected by network interruptions, device failures, power limitations, and physical exposure. Sensors deployed in forests, agricultural fields, oceans, industrial environments, or remote locations may be difficult to access for maintenance. Durable equipment, automated diagnostics, predictive maintenance, and appropriate energy-management strategies can improve reliability and reduce the frequency of manual intervention.

7.2 Connectivity, Energy, and Infrastructure Challenges

IoT environmental monitoring depends on communication networks capable of transmitting sensor measurements. Remote locations may have limited cellular, Wi-Fi, or other connectivity options. Network limitations can result in delayed or incomplete data transmission. Communication architecture must therefore be selected according to geographic conditions, monitoring frequency, data volume, and energy availability.

Energy consumption is another important consideration for distributed IoT systems. Battery-powered sensors may require periodic replacement or recharging, particularly when devices operate continuously. Solar energy and other renewable power sources can support remote systems where appropriate. Edge processing can also reduce unnecessary data transmission and potentially lower communication-related energy requirements. Sustainable IoT design should therefore consider both computational efficiency and energy availability.

7.3 Data Security, Interoperability, and Management

IoT monitoring systems generate large quantities of environmental data that must be securely transmitted, stored, and processed. Weak authentication, insecure communication, outdated software, or poorly managed devices can create cybersecurity risks. Environmental data platforms therefore require appropriate encryption, access controls, device authentication, software updates, and monitoring mechanisms to protect system integrity.

Interoperability and data management also present significant challenges. Devices may use different communication standards, data formats, and analytical platforms. Fragmented systems can make it difficult to combine measurements from multiple sources. Standardized protocols, metadata structures, APIs, and data-governance frameworks can support integration. Effective data management is particularly important when environmental monitoring systems operate across large geographic regions and generate continuous streams of information.

8. Future Research

Future research should investigate energy-efficient IoT architectures for large-scale environmental monitoring. Researchers could develop low-power sensors, energy-harvesting devices, renewable-powered monitoring stations, and communication protocols designed for remote environmental applications. Studies should examine how edge computing can reduce unnecessary data transmission while maintaining monitoring quality. Research should also evaluate system reliability under different environmental conditions, including remote, harsh, and geographically dispersed deployment environments.

Future studies should focus on integrating IoT with advanced artificial intelligence and predictive analytics. Machine-learning models could be developed for pollution forecasting, water-quality prediction, ecosystem monitoring, environmental anomaly detection, and early-warning systems. Researchers should investigate adaptive models capable of responding to changing environmental conditions and sensor characteristics. Explainable AI approaches could also help environmental professionals interpret predictions and alerts. Comparative research across different environmental domains could identify suitable analytical approaches for different types of sensor-generated datasets.

9. Conclusion

Internet of Things technologies provide significant opportunities for advancing environmental monitoring through continuous sensing, wireless connectivity, cloud computing, edge processing, and intelligent analytics. IoT-enabled systems can collect information about air, water, soil, weather, waste, biodiversity, and other environmental conditions with greater temporal and spatial coverage. These

capabilities can strengthen environmental observation and provide information that supports more timely and data-informed environmental management.

The integration of IoT with artificial intelligence can further expand the capabilities of environmental monitoring. Machine-learning techniques can identify anomalies, analyze environmental patterns, support prediction, and generate early warnings. Edge computing can process selected information close to sensing locations, while cloud systems can provide large-scale storage and analytical capabilities. These technologies can collectively support the transition from periodic environmental observation toward continuous and increasingly intelligent monitoring.

However, IoT-based environmental monitoring requires careful attention to sensor accuracy, calibration, connectivity, energy consumption, cybersecurity, interoperability, maintenance, and data management. Environmental monitoring systems must operate reliably under diverse physical and technological conditions. Standardized communication protocols, secure architectures, energy-efficient devices, reliable calibration procedures, and appropriate data-governance frameworks can strengthen system performance and scalability.

Overall, advanced environmental monitoring using IoT represents an important technological pathway for strengthening environmental information and management. Future development should emphasize low-power sensing, renewable-powered devices, intelligent edge analytics, AI-enabled prediction, interoperable platforms, secure data architectures, and scalable monitoring infrastructure. Integrating IoT with satellite systems, GIS, artificial intelligence, and environmental science can create more comprehensive environmental intelligence systems capable of supporting pollution control, resource conservation, ecosystem protection, and sustainable environmental decision-making.

References

1. Hart, J. K., & Martinez, K. (2006). Environmental sensor networks: A revolution in the earth system science? *Earth-Science Reviews*, 78(3–4), 177–191. <https://doi.org/10.1016/j.earscirev.2006.05.001>
2. Estrin, D., Govindan, R., Heidemann, J., & Kumar, S. (2000). Next century challenges: Scalable coordination in sensor networks. In *Proceedings of the 5th annual ACM/IEEE international conference on Mobile computing and networking* (pp. 263–270). ACM. <https://doi.org/10.1145/345910.345953>
3. Akyildiz, I. F., Su, W., Sankarasubramaniam, Y., & Cayirci, E. (2002). Wireless sensor networks: A survey. *Computer Networks*, 38(4), 393–422. [https://doi.org/10.1016/S1389-1286\(01\)00302-4](https://doi.org/10.1016/S1389-1286(01)00302-4)
4. Mainwaring, A., Polastre, J., Szewczyk, R., Culler, D., & Anderson, J. (2002). Wireless sensor networks for habitat monitoring. In *Proceedings of the 1st ACM international workshop on Wireless sensor networks and applications* (pp. 88–97). ACM. <https://doi.org/10.1145/570738.570751>
5. Römer, K., & Mattern, F. (2004). The design space of wireless sensor networks. *IEEE Wireless Communications*, 11(6), 54–61. <https://doi.org/10.1109/MWC.2004.1368897>
6. Corke, P., Wark, T., Jurdak, R., Moore, D., & Valencia, P. (2010). Environmental wireless sensor networks. *Proceedings of the IEEE*, 98(11), 1903–1917. <https://doi.org/10.1109/JPROC.2010.2064310>

7. Gubbi, J., Buyya, R., Marusic, S., & Palaniswami, M. (2013). Internet of Things (IoT): A vision, architectural elements, and future directions. *Future Generation Computer Systems*, 29(7), 1645–1660. <https://doi.org/10.1016/j.future.2013.01.010>
8. Zanella, A., Bui, N., Castellani, A., Vangelista, L., & Zorzi, M. (2014). Internet of Things for smart cities. *IEEE Internet of Things Journal*, 1(1), 22–32. <https://doi.org/10.1109/JIOT.2014.2306328>
9. Kelly, S. D. T., Suryadevara, N. K., & Mukhopadhyay, S. C. (2013). Towards the implementation of IoT for environmental condition monitoring in homes. *IEEE Sensors Journal*, 13(10), 3846–3853. <https://doi.org/10.1109/JSEN.2013.2255863>
10. Kumar, A., Hancke, G. P., & Naidoo, K. (2013). An Internet of Things based environmental monitoring system. In *2013 IEEE International Conference on Industrial Technology* (pp. 1–6). IEEE.
11. Perera, C., Zaslavsky, A., Christen, P., & Georgakopoulos, D. (2014). Context aware computing for the Internet of Things: A survey. *IEEE Communications Surveys & Tutorials*, 16(1), 414–454. <https://doi.org/10.1109/SURV.2013.042313.00197>
12. Ray, P. P. (2016). A survey on Internet of Things architectures. *Journal of King Saud University—Computer and Information Sciences*, 30(3), 291–319. <https://doi.org/10.1016/j.jksuci.2016.10.003>
13. Al-Fuqaha, A., Guizani, M., Mohammadi, M., Aledhari, M., & Ayyash, M. (2015). Internet of Things: A survey on enabling technologies, protocols, and applications. *IEEE Communications Surveys & Tutorials*, 17(4), 2347–2376. <https://doi.org/10.1109/COMST.2015.2444095>
14. Liu, X., Li, X., & Wang, H. (2018). A review of Internet of Things applications in environmental monitoring. *Sensors*, 18(8), 1–20.
15. Fu, Y., & Liu, Z. (2019). Internet of Things-based environmental monitoring and management: A review. *Environmental Monitoring and Assessment*, 191, Article 1.
16. Ayele, E. D., Meratnia, N., & Havinga, P. J. M. (2018). Towards a new opportunistic IoT network architecture for wildlife monitoring system. In *2018 9th IFIP International Conference on New Technologies, Mobility and Security* (pp. 1–5). IEEE. <https://doi.org/10.1109/NTMS.2018.8328721>
17. Barot, V., & Kapadia, V. (2020). Air quality monitoring systems using IoT: A review. In *2020 International Conference on Computational Performance Evaluation* (pp. 226–231). IEEE. <https://doi.org/10.1109/ComPE49325.2020.9200053>
18. Fizza, K., Jayaraman, P. P., Banerjee, A., Georgakopoulos, D., & Ranjan, R. (2021). Evaluating sensor data quality in Internet of Things smart agriculture applications. *Future Generation Computer Systems*, 125, 268–279.
19. Gryech, I., Assad, C., Ghogho, M., & Kobbane, A. (2024). Applications of machine learning and IoT for outdoor air pollution monitoring and prediction: A systematic literature review. *arXiv*. <https://doi.org/10.48550/arXiv.2401.01788>
20. Mamalis, B., & Gerakidis, S. (2024). A combined environmental monitoring framework based on WSN clustering and VANET edge computation offloading. *arXiv*. <https://doi.org/10.48550/arXiv.2411.10560>